PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS AND DOMESTIC ANIMALS

CAUTION

Harmful if swallowed. Causes moderate eye irritation. Do not get on skin or clothing. Avoid contact with eyes, skin or clothing.

IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15 - 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for treatment advice.

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have a person sip a glass of water if able to swallow. Do not induce vomiting unless told to by poison control center or doctor.

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration preferably mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice.

Have the product container or label with you when calling a poison control center or doctor, or going for treatment

This product may cause skin sensitization reactions in some people

You may also contact the National Pesticide Information Center at 1-800-858-7378 for emergency

PERSONAL PROTECTIVE EQUIPMENT (PPE)

Applicators and other handlers must wear: Chemical-resistant gloves made of any water-proof material ong slewed shirt and long pants, shoes plus socks. Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables, use detergent and hot water. Keep and wash PPE separately from other laundry.

USER SAFETY RECOMMENDATIONS

Users should wash hands before eating, drinking, chewing gum, using tobacco or using the toilet. Remove clothing immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. Remove PPE immediately after handling this product Wash the outside of gloves before removing.

ENVIRONMENTAL HAZARDS

Do not apply directly to water, or to areas where surface water is present or to intertidal areas below the mean high water mark. Do not contaminate water by cleaning of equipment or disposal of wastes. Keep out of lakes, streams or ponds. Do not contaminate water when cleaning equipment or disposing of equipment washwaters.



BANISH

ERBICIDE FOR CONTROLLING A WIDE RANGE OF ANNUAL AND PERENNIAL WEEDS AND GRAS DO ON NON-CROPLAND AREAS

TIVE INGREDIENTS:

Lithium salt of Bromacil (5-bromo-3-sec-butyl-6-methyluracil) 1.20% INERTINGREDIENTS98.80% TOTAL This product contains lithium salt of bromacil at 0.11 pounds per gallon

KEEP OUT OF REACH OF CHILDREN CAUTION See side nanel for additional precautionary statements

EPA Reg. No. 10088-118-68562 EPA Est. 10088-WI-1

NET CONTENTS: □1 □5 Gallon(s)

Distributed By: Total Solutions® PO Box 240014 • Milwaukee, WI 53224

DIRECTIONS FOR USE

It is a violation of Eederal law to use this product in a manner inconsistent rith its label GENERAL PRECAUTIONS AND RE TIONS

Entry Restrictions: Do not enter or al

Application Postrictions

Do not apply more that Do not apply this pro ontact workers or other persons, either directly or through by be in the area during application.

al areas or in or around homes. Not to be used in

spur nozzles. Do not apply when the ground is frozen. Do not apply, Do not use alum drain or flush equipment on or near valuable trees or other desirable plants or on areas where neir roots may extend, or where the chemical may be washed or moved into contact with their losts. Do not year on lawns, walks, directions and provided from the courts or similar areas. Prevent spray drift of desirable plants. NOTE: For effective brush control and to prevent damage to desirable plants on the provided from the control and to prevent damage to desirable plants. where desirable trees or shrubs are immediately adjacent to the treated areas. Do not use along the same spray for other purposes. where desinder desinder desinder the desinder de

Apply, this product just before or during the period of active growth of plants to be controlled and when rainfall can be expected for soil activation. Because it works through the soil, results will be improved by removing dense vegetation growth before treatment. Effects are slow to appear and may not become apparent untill the chemical has been carried into the root zone by moisture.

WEED CONTROL: To control most weeds for an extended period of time on non-cropland areas such as railroad, highway and pipeline rights-of-way, tank farms, lumber yards, fencerows parking lots, storage areas and industrial sites

Dilute 1 gallon of this product with 10 gallons of water (total of 11 gallons). This will assist in getting the product to the root zone. This solution may be applied by sprinkling or spraying. If sprayed direct spray toward the base of the weed and adjust nozzle for a coarse spray to prevent drift.

Annual weeds and grasses: Such as foxtail, ryegrass, wild oats, crabgrass, broomgrass, Annual weeds and grasses: Such as toxtall, ryegrass, wild oats, crabgrass, broomgrass, cheatgrass, ragweed, lambscquarters, puncturevine, orchardgrass, and turkey mullein. Apply 11 gallons of diluted product per 800 to 3100 square feet. Perennial weeds and grassess: Such as smooth brome, bahiagrass, bluegrass, purpletop, quackgrass, broomseedge, dogs fennel, aster, goldenrod, plantain, dandelion, and wild carrot. Apply 11 gallons of diluted product per 400 to 800 square feet. Hard to klif perennials: Such as johnsongrass, nutgrass bermudagrass, dalligrass, nutself satigrass, boundingbet, bracken, fern, dogbane and horsetall. Apply 11 gallons of diluted product.

per 400 to 800 square feet. Where limited rainfall (usually less than 4 inches) occurs during the active growing period, such as some areas of the west, this product will not provide satisfactory control of hard-to-kill, deep rooted perennial weeds such as johnsongrass. Use the higher application rates on absorptive soils (usually those high in organic matter or carbon). application rates on absorptive soils (usually those high in organic matter or carbon).

Re-treatment: Apply 11 gallons of the diluted product per 800 square feet when annual weeds and grasses reappear.

Brush Control: To control undesirable woody plants on non-cropland areas such as railroad rights-of-way, storage

areas and industrial sites.

Broadcast Treatment: Apply 54-1/2 to 109 gallons per acre to control oak, willow, sweet gum, pine, American elm, winged elm, hackberry, sumac and cottonwood. Use the higher application rates on absorptive soils (those high in organic matter or carbon).

Basal (Soil) Treatment: To control the woody plants shown above and maple, poplar, red bud and wild cherry, dilute 2 gallons of this product with 2 gallons of water and apply at the

rate of 6 to 12 fluid oz. per stem 2" to 4" in basal diameter. Wet base of stem to run off. Before spraying, calibrate equipment to uniformly apply the before spraying, calibrate equipment to uniformly apply the herbicide. After mixing, agitation of the spray solution is not required. Thoroughly clean spray equipment with a suitable chemical cleaner before using for other purposes or do not use

STORAGE AND DISPOSAL

han 50°F or higher than 120°F.

Posticide Disposal: Posticide wastes are acutely hazardous resticted disposal. Pesticide wastes are actively lazardous.

mproper disposal of excess pesticide, spray mixture, or insate is a violation of Federal Law. If these wastes cannot ne disposed of by use according to label instructions, contact rour State Pesticide or Environmental Control Agency, or the Hazardous Waste representative at the nearest EPA Regional

Office for quidance office for guidance.

Container Disposal: Nonrefillable container. Do not reuse or efill container. Offer for recycling, if available. Clean container bromptly after emptying. Triple rinse as follows: Empty the emaining contents into application equipment or a mix tank nd drain for 10 seconds after the flow begins to drip. Fill the

ontainer 1/4 full with water and recap. Shake for 10 seconds ontainer 1/4 full with water and recap. Shake for 10 seconds, four rinsate into application equipment or a mix tank or store insate for later use or disposal. Drain for 10 seconds after the low begins to drip. Repeat procedure two more times.