# PRECAUTIONARY STATEMENTS HAZARDS TO HUMANS AND DOMESTIC ANIMALS CAUTION

Harmful if absorbed through skin, Causes moderate eve irritation, Avoid contact with skin, eyes, or clothing. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, or using tobacco, Remove and wash contaminated clothing before reuse. Avoid contamination of food and feedstuffs.

FIRST AID	
IF IN EYES:	Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for treatment advice.
IF ON SKIN OR CLOTHING:	Take off contaminated dothing. Rinse skin immediately with plenty of water for 15 - 20 minutes. Call a poison control center or doctor for treatment advice.
IF SWALLOWED:	Immediately call a poison control center or doctor for treatment advice. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any liquid to the person. Do not give anything by mouth to an unconscious person.

#### HOT LINE NUMBER

Have the product container or label with you when calling a p center or doctor, or going for treatment You Pesticide Information Center 1-800-858 //8 for treatment information.

NOTE TO PHYSICIAN Contains petroleum distillate - vomiting may cause aspiration pneumonia.

### **ENVIRONMENTAL HAZARDS**

This pesticide is extremely toxic to aquatic organisms, including fish and aquatic invertebrates. To protect the environment, do not allow pesticide to enter or run off into storm drains, drainage ditches, gutters or surface waters. Applying this product in calm weather when rain is not predicted for the next 24 hours will help ensure that wind or rain does not blow or wash pesticide off the treated areas. This pesticide is highly toxic to bees exposed to direct treatment on blooming crops or weeds. Do not apply this product or allow it to drift to blooming crops or weeds while bees are actively visiting the treatment area.

### PHYSICAL OR CHEMICAL HAZARDS

FLAMMABLE. Contents under pressure. Keep away from heat, sparks, and open flame. Do not puncture or incinerate container. Exposure to temperatures above 130°F may cause bursting.



# **BUZZSAW WASP &** HORNET KILLER

This Product Can Be Used Both Indoors (Attics And Other Places Where Nests Are Built And Where Food Or Feed Are Not Exposed) And Outdoors On Wasp, Hornet And Yellow Jacket Nests

- KILLS WASPS, YELLOW JACKETS AND HORNETS ON CONTACT
- GIVES RAPID KNOCK OWN ELLOW JACKETS
- NESTS MORE THAN 20 FEET ABOVE GROUND
- DIELECTRIC BREAKDOWN VOLTAGE: 41.0 KV BY ASTM TEST METHOD D-877-87

## Active Ingredients:

Tetramethrin [(1-Cyclohexene-1,2-dicarboximido) methyl 2.2- dimethyl-3-(2-methylpropenyl) cyclopropanecarboxylate]. 0.200% .0.125% Phenothrin ..99.675% \*Other Ingredients: . .100.000% Total: \* Contains petroleum distillate.

# **KEEP OUT OF REACH OF CHILDREN CAUTION**

See side panel for additional precautionary statements.

EPA REG. NO. 10088-115-68562 EPA EST. 33595-MO-2 EPA EST. 33595-MO-3

EPA EST. 33595-MO-4

The Est. No. appears after the can code

**NET WT:** 14 OZ (397 g)

Distributed By: Total Solutions® PO Box 240014 • Milwaukee, WI 53224 • 1-800-743-6417

#### DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

FOR CONTROL OF NESTS OF WASPS, YELLOW JACKETS AND HORNETS: The best time to spray the nest is in the early morning or early evening, when air temperature is cooler and most insects are in the nest and little activity is observed around the nest opening. Spray only if the air is still. Stand at a safe distance from the nest, not directly under it. Hold container upright at arms length, point the actuator at the nest and spray in the opening of the nest first. Then spray the rest of the nest until it is saturated. Treated insects may fall out of the nest and die. Wait 48 hours before removing the nest. Hose off foliage of desirable plants that were contacted with spray.

This product may stain or adversely affect vinyl, painted, and plastic surfaces. Avoid application to asphalt roofing shingles as staining may occur. Before using in areas where spray may contact these surfaces, test in an inconspicuous area and re-check in a few hours.

### PRECAUTIONS AND RESTRICTIONS

Do not apply this product in a way that will contact adult, children, or pets. either directly or through drift. Do not enter or allow others to enter treated are until orays have dried. All outdoor applications must be imited to w 50, ye low jacket, and hornet nest treatments, as directed on ais labe. Do nor make applications during rain. Remove pets and birds and cover fish aquariums before spraying. Do not use in food areas or food handling establishments, restaurants, or other areas while food is exposed or facility is in operation. Serving areas are areas where prepared foods are served, such as dining rooms, but excluding areas where foods may be prepared or held. In the home, all food processing surfaces and utensils must be covered during treatment or thoroughly washed before use. Exposed food must be covered or removed.

# STORAGE AND DISPOSAL

Do Not Contaminate Water, Food, or Feed By Storage or Disposal. **Pesticide Storage:** Store in a dry place no lower in temperature than 50°F or higher than 120°F.

Container Handling: Do Not Puncture or Incinerate! Nonrefillable container. Do not reuse or refill this container. If empty: Place in trash or offer for recycling, if available. If partly filled: Call your local solid waste agency for disposal instructions.

8401.071212

