Safety Data Sheet



SECTION 1: Product and company identification

Product name : Citra Crystals™ - Granular Degreaser

Use of the substance/mixture : Cleaner Product code : 0665

Company : CleaningChemicalSupply.com

P.O. Box 670925

Marietta, GA 30066 - USA Phone (888) 678-7489

Emergency number : Chemtec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS-US classification

Skin Corr. 1B H314 Skin Sens. 1 H317

2.2. Label elements

GHS-US labeling

Hazard pictograms (GHS-US)



GHS05

Signal word (GHS-US) : Danger

Hazard statements (GHS-US) : Causes severe skin burns and eye damage

May cause an allergic skin reaction

Precautionary statements (GHS-US) : Do not breathe dust

Avoid breathing dust

Wash thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Wear eye protection, protective clothing, protective gloves If swallowed: rinse mouth. Do NOT induce vomiting If on skin: Wash with plenty of soap and water.

GHS07

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with

water/shower

If inhaled: Remove person to fresh air and keep comfortable for breathing

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

Immediately call a doctor, a POISON CENTER Specific treatment (see First aid measures on this label) If skin irritation or rash occurs: Get medical advice/attention

Wash contaminated clothing before reuse

Store locked up

Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

Full text of H-phrases: see section 16

3.2. Mixtures

OIL PARTON			
Name	Product identifier	%	GHS-US classification
sodium carbonate	(CAS No) 497-19-8	55-70	Eye Irrit. 2A, H319
trisodium orthophosphate, dodecahydrate	(CAS No) 10101-89-0	3-7	Skin Irrit. 2, H315 Eye Dam. 1, H318 STOT SE 3, H335
disodium metasilicate	(CAS No) 6834-92-0	3-7	Skin Corr. 1B, H314 STOT SE 3, H335

Date of issue: 2/2/2017 Revision date: 01/31/2017 Version: 1.1 P GHS SDS Page 1 of 7





Name	Product identifier	%	GHS-US classification
(+)-limonene	(CAS No) 5989-27-5	1-5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304
Benzenesulfonic acid, C10-16-alkyl derivatives	(CAS No) 68584-22-5	1-5	Acute Tox. 4 (Oral), H302 Skin Corr. 1A, H314
UNDECETH-5	(CAS No) 34398-01-1	1-5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
Sodium Trimetaphosphate	(CAS No) 7785-84-4	0.1-0.2	Not classified

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove victim to fresh air and keep at rest in a position comfortable for breathing.

First-aid measures after skin contact : Take off contaminated clothing and wash it before reuse. Wash with plenty of soap and water. If skin

irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue

rinsing. Immediately call a poison center or doctor/physician.

First-aid measures after ingestion : Rinse mouth. Do NOT induce vomiting. Consult a doctor/medical service if you feel unwell.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : Causes severe skin burns and eye damage.

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin. May cause an allergic skin reaction. Repeated exposure may

cause skin dryness or cracking.

Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Symptoms/injuries after ingestion : Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Nausea. Diarrhoea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Adapt extinguishing media to the environment.

5.2. Special hazards arising from the substance or mixture

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Use water moderately and if possible collect

or contain it. Use water spray or fog for cooling exposed containers.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

6.1.1. For non-emergency personnel

Protective equipment : Safety glasses. Gloves. Protective clothing.

Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent soil and water pollution.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

Date of issue: 2/2/2017 Revision date: 01/31/2017 Version: 1.1 P GHS SDS Page 2 of 7

Safety Data Sheet



SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read

and understood. Use personal protective equipment as required. Do not eat, drink or smoke

when using this product. Do not get in eyes, on skin, or on clothing.

Hygiene measures : Wash thoroughly after handling. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations.

Storage conditions : Keep container closed when not in use. Store in original container.

Incompatible products : Strong acids. Oxidizing agent.

Storage area : Keep only in the original container. Store in a dry area. Store in a cool area.

Special rules on packaging : meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Benzenesulfonic acid, C10-16-alkyl derivatives (68584-22-5)

Not applicable

(+)-limonene (5989-27-5)

Not applicable

UNDECETH-5 (34398-01-1)

Not applicable

disodium metasilicate (6834-92-0)

Not applicable

sodium carbonate (497-19-8)

Not applicable

trisodium orthophosphate, dodecahydrate (10101-89-0)

Not applicable

Relative density

8.2. Exposure controls

Personal protective equipment

: Safety glasses. Gloves. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.







SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Solid

Appearance : fine, free-flowing orange powder.

Odor : Citrus scent Odor threshold : No data available pН 12.5 -10% solution Melting point : No data available Freezing point : No data available Boiling point : No data available Flash point : No data available Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) : No data available **Explosion limits** : No data available : No data available Explosive properties Oxidizing properties : No data available Vapor pressure No data available

 Date of issue: 2/2/2017
 Revision date: 01/31/2017
 Version: 1.1
 P GHS SDS
 Page 3 of 7

: No data available

Safety Data Sheet



Relative vapor density at 20 °C : No data available

Specific gravity / density : ND

Solubility Soluble in water. Log Pow : No data available Log Kow : No data available Auto-ignition temperature : No data available Decomposition temperature : No data available Viscosity : No data available Viscosity, kinematic : No data available Viscosity, dynamic : No data available

VOC content : < 3 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

No additional information available

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Oxidizing agents. Strong acids.

Serious eye damage/irritation

Respiratory or skin sensitization

Germ cell mutagenicity

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

touto tornoity		
Benzenesulfonic acid, C10-16-alkyl	derivatives (68584-22-5)	
LD50 oral rat	530 mg/kg	
(+)-limonene (5989-27-5)		
LD50 oral rat	4400 mg/kg body weight (Rat; OECD 423: Acute Oral Toxicity – Acute Toxic Class Method; Literature study; > 2000 mg/kg bodyweight; Rat; Read-across)	
LD50 dermal rabbit	> 5000 mg/kg body weight (Rabbit; Weight of evidence; Equivalent or similar to OECD 402)	
ATE CLP (oral)	4400.000 mg/kg body weight	
UNDECETH-5 (34398-01-1)		
LD50 oral rat > 1400 mg/kg sodium carbonate (497-19-8)		
		LD50 oral rat
LD50 dermal rabbit	> 2000 mg/kg (Rabbit; Experimental value)	
ATE CLP (oral)	2800.000 mg/kg body weight	
trisodium orthophosphate, dodecahydrate (10101-89-0)		
LD50 oral rat	7400 mg/kg (Rat; OECD 420: Acute Oral toxicity – Acute Toxic Class Method; Literature study; >2000 mg/kg bodyweight; Rat)	
LD50 dermal rabbit	> 7940 mg/kg (Rabbit)	
LC50 inhalation rat (mg/l)	> 0.83 mg/l/4h (Rat; Read-across)	
ATE CLP (oral)	7400.000 mg/kg body weight	
Skin corrosion/irritation	: Causes severe skin burns and eye damage.	
	pH: 12.5 10% solution	

Carcinogenicity : Not classified

: Not classified

Not classified

pH: 12.5 10% solution

: May cause an allergic skin reaction.

Date of issue: 2/2/2017 Revision date: 01/31/2017 Version: 1.1 P GHS SDS Page 4 of 7

Safety Data Sheet



 (+)-limonene (5989-27-5)

 IARC group
 3 - Not classifiable

Reproductive toxicity : Not classified
Specific target organ toxicity – single exposure : Not classified
Specific target organ toxicity – repeated : Not classified

exposure

Aspiration hazard : Not classified

Symptoms/injuries after inhalation : May cause respiratory irritation.

Symptoms/injuries after skin contact : Caustic burns/corrosion of the skin. May cause an allergic skin reaction. Repeated exposure

may cause skin dryness or cracking.

Symptoms/injuries after eye contact : Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Symptoms/injuries after ingestion : Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Nausea. Diarrhoea.

Likely routes of exposure : Skin and eye contact

SECTION 12: Ecological information

12.1. Toxicity		
(+)-limonene (5989-27-5)		
LC50 fish 1	720 μg/l (LC50; OECD 203: Fish, Acute Toxicity Test; 96 h; Pimephales promelas; Flow-through system; Fresh water; Experimental value)	
EC50 Daphnia 1	0.36 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna; Static system; Fresh water; Experimental value)	
Threshold limit algae 1	150 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus; Static system; Fresh water; Read-across)	
UNDECETH-5 (34398-01-1)		
LC50 fish 1	< 10 mg/l	
EC50 Daphnia 1	< 10 mg/l	
ErC50 (algae)	< 10 mg/l	
sodium carbonate (497-19-8)		
LC50 fish 1	300 mg/l (LC50; Other; 96 h; Lepomis macrochirus; Static system; Fresh water; Experimental value)	
Threshold limit algae 1	242 mg/l (EC50; 5 days; Algae)	
trisodium orthophosphate, dodecahyo	drate (10101-89-0)	
EC50 Daphnia 2	> 100 mg/l (EC50; OECD 202: Daphnia sp. Acute Immobilisation Test; 48 h; Daphnia magna)	
Threshold limit algae 1	> 100 mg/l (EC50; OECD 201: Alga, Growth Inhibition Test; 72 h; Desmodesmus subspicatus)	

12.2. Persistence and degradability

(+)-limonene (5989-27-5)		
Persistence and degradability	Readily biodegradable in water. Forming sediments in water. Adsorbs into the soil.	
ThOD	3.29 g O₂/g substance	
sodium carbonate (497-19-8)		
Persistence and degradability	Biodegradability: not applicable. Low potential for adsorption in soil.	
ThOD	Not applicable (inorganic)	
trisodium orthophosphate, dodecahydrate (10101-89-0)		
Persistence and degradability	Biodegradability: not applicable. Biodegradability in soil: not applicable. No (test)data on mobility of the substance available.	
ThOD	Not applicable (inorganic)	

12.3. Bioaccumulative potential

(+)-limonene (5989-27-5)	
BCF fish 1	864.8 - 1022 (BCF; Pisces)
Log Pow	4.38 (Experimental value; OECD 117: Partition Coefficient (n-octanol/water), HPLC method; 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 ≥ Log Kow ≤ 5).
sodium carbonate (497-19-8)	
Log Pow	-6.19 (Estimated value)

Date of issue: 2/2/2017 Revision date: 01/31/2017 Version: 1.1 P GHS SDS Page 5 of 7





sodium carbonate (497-19-8) Bioaccumulative potential Low potential for bioaccumulation (Log Kow < 4).	
Bioaccumulative potential Not bioaccumulative.	

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal

: Dispose in a safe manner in accordance with local/national regulations.

recommendations

SECTION 14: Transport information

Department of Transportation (DOT)

In accordance with DOT: Not regulated for transport

Additional information

Other information : No supplementary information available.

ADR

No additional information available

Transport by sea

No additional information available

Air transport

No additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

UNDECETH-5 (34398-01-1)		
SARA Section 311/312 Hazard Classes	Immediate (acute) health hazard	
trisodium orthophosphate, dodecahydrate (1010	1-89-0)	
Not subject to reporing requirements of the United States SARA Section 313		
CERCLA RQ	5000 lb	
Sodium Tripolyphosphate Anhydrous (7758-29-4)		
Not subject to reporing requirements of the United	d States SARA Section 313	
CERCLA RQ	5000 lb	
TETRASODIUM PYROPHOSPHATE (7722-88-5)		
Sodium Trimetaphosphate (7785-84-4)		
Not subject to reporing requirements of the United States SARA Section 313		
CERCLA RQ	5000 lb	

California Proposition 65 - This product contains, or may contain, trace quantities of a substance(s) known to the state of California to cause cancer, developmental and/or reproductive harm

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H226	Flammable liquid and vapor
	The state of the s
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H314	Causes severe skin burns and eye damage

Date of issue: 2/2/2017 Revision date: 01/31/2017 Version: 1.1 P GHS SDS Page 6 of 7

Safety Data Sheet



	H315	Causes skin irritation
	H317	May cause an allergic skin reaction
	H318	Causes serious eye damage
	H319	Causes serious eye irritation
	H335	May cause respiratory irritation


NFPA health hazard : 2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual

injury.

NFPA fire hazard : 0 - Materials that will not burn under typical dire conditions, including intrinsically noncombustible

materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

 Date of issue: 2/2/2017
 Revision date: 01/31/2017
 Version: 1.1
 P GHS SDS
 Page 7 of 7