Safety Data Sheet



SECTION 1: Product and company identification

Product name	:	Fuel Treat
Use of the substance/mixture	:	Fuel: additive
Product code	:	0961
Distributor's Name	:	CleaningChemicalSupply.com
		P.O. Box 670925 Marietta, GA 30066 – USA Phone (888) 678-7489
Emergency number	:	Chemtrec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GHS US classification

H226
H302
H312
H332
H315
H319
H340
H350
H335
H336
H304

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)	HS02 GHS07 GHS08
Signal word (GHS US)	: Danger
Hazard statements (GHS US)	 Flammable liquid and vapour Harmful if swallowed, in contact with skin or if inhaled May be fatal if swallowed and enters airways Causes skin irritation Causes serious eye irritation May cause respiratory irritation May cause drowsiness or dizziness May cause genetic defects May cause cancer
Precautionary statements (GHS US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep container tightly closed. Ground/Bond container and receiving equipment Use explosion-proof electrical, lighting equipment Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing mist, spray. Wash thoroughly after handling Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear eye protection, protective clothing, protective gloves. If swallowed: Immediately call a doctor, a POISON CENTER If swallowed: Call a poison center or doctor if you feel unwell If on skin: Wash with plenty of water If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower If inhaled: Remove person to fresh air and keep comfortable for breathing If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing



If exposed or concerned: Get medical advice/attention. Call a doctor, a POISON CENTER if you feel unwell Specific treatment (see supplemental first aid instruction on this label) Specific treatment (see supplemental first aid instruction on this label) Rinse mouth. Do NOT induce vomiting. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. In case of fire: Use carbon dioxide (CO2), dry extinguishing powder, foam to extinguish. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to comply with local/regional/national/international regulations.

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/Information on ingredients

3.1. Substances

Not applicable

2.2 Mixturo

Full text of H-phrases: see section 16

Name	Product identifier	%	GHS US classification
SOLVESSO 100	(CAS-No.) 64742-95-6	40-80	Flam. Liq. 3, H226 Muta. 1B, H340 Carc. 1B, H350 STOT SE 3, H336 STOT SE 3, H335 Asp. Tox. 1, H304
Trimethylbenzene	(CAS-No.) 25551-13-7	30-60	Acute Tox. 4 (Oral), H302 Acute Tox. 4 (Dermal), H312 Skin Irrit. 2, H315 Eye Irrit. 2B, H320 Asp. Tox. 1, H304
1,2,4-trimethylbenzene	(CAS-No.) 95-63-6	15-40	Flam. Liq. 3, H226 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315 STOT SE 3, H335 Aquatic Chronic 2, H411
cumene	(CAS-No.) 98-82-8	3-8	Flam. Liq. 3, H226 Carc. 2, H351 STOT SE 3, H335 Asp. Tox. 1, H304
xylene	(CAS-No.) 1330-20-7	0.5-5	Flam. Liq. 3, H226 Acute Tox. 4 (Dermal), H312 Acute Tox. 4 (Inhalation), H332 Skin Irrit. 2, H315
cymenes	(CAS-No.) 25155-15-1	0.5-1.5	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measu	ures			
4.1. Description of first aid mea	asures			
First-aid measures general	: If you feel unwell, Get medical advic		el where possible). IF exposed or con	cerned:
First-aid measures after inhalation		cult, remove victim to fresh air and POISON CENTER or doctor/physic	keep at rest in a position comfortable ian if you feel unwell.	for
First-aid measures after skin conta		Take off immediately all contaminated clothing and wash it before reuse. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.		
First-aid measures after eye conta		: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.		
First-aid measures after ingestion	after ingestion : Immediately call a poison center or doctor/physician. Rinse mouth with water. Do NOT induce vomiting.			
Date of issue: 11/12/2019	Revision date: 11/12/2019	Version: 2.0	P GHS SDS	Page 2 of 8



Safety Data Sheet	CLEANING CHEMICAL SUPPLY
4.2. Most important symptoms and e	ffects, both acute and delayed
Symptoms/effects	 Harmful if swallowed. Harmful if inhaled. Harmful in contact with skin. May be fatal if swallowed and enters airways. May cause cancer. May cause genetic defects (through prolonged or repeated exposure).
Symptoms/effects after inhalation	: Harmful if inhaled. May cause drowsiness or dizziness. May cause respiratory irritation.
Symptoms/effects after skin contact	: Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed. May be fatal if swallowed and enters airways. Risk of aspiration pneumonia. Gastrointestinal complaints.
	lical attention and special treatment needed
Treat symptomatically.	
SECTION 5: Firefighting measu	res
5.1. Extinguishing media	
Suitable extinguishing media	: Dry chemical powder. Carbon dioxide. Alcohol-resistant foam.
5.2. Special hazards arising from the	substance or mixture
Explosion hazard	: vapors may travel long distances along ground before igniting/flashing back to vapor source.
Reactivity	: Upon combustion: CO and CO2 are formed.
5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release	measures
	equipment and emergency procedures
General measures	: Remove ignition sources. Use special care to avoid static electric charges.
6.1.1. For non-emergency personnel	
Protective equipment	: Protective goggles. Gloves. Protective clothing.
Emergency procedures	: Evacuate unnecessary personnel. No naked flames or sparks.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.
6.2. Environmental precautions	
Avoid release to the environment. Preve	ent entry to sewers and public waters.
6.3. Methods and material for contai	nment and cleaning up
For containment	: Contain released product, pump into suitable containers.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation. Take up liquid spill into inert absorbent material, e.g.: sand/earth. Clean contaminated surfaces with a

6.4.	Reference to other sections

6.4. No additional information available

SECTION 7: Handling and storage	9
7.1. Precautions for safe handling	
Precautions for safe handling	: Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Do not breathe vapors. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking. Take precautions against electrostatic charges. Obtain special instructions before use. Remove contaminated clothing immediately.
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includi	ing any incompatibilities
Technical measures	: Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be followed.
Storage conditions	: Keep container tightly closed. Keep only in the original container in a cool, well ventilated place away from: sparks, open flames, excessive heat.
Incompatible products	: Strong oxidizers.
Incompatible materials	: Sources of ignition. Heat sources.

soap solution.

Fuel Treat Safety Data Sheet



Storage area

: Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place. Keep locked up.

Special rules on packaging

: Keep only in original container. meet the legal requirements.

SECTION 8: Exposure controls/personal protection 8.1. Control parameters SOLVESSO 100 (64742-95-6) Not applicable Trimethylbenzene (25551-13-7) ACGIH ACGIH TWA (ppm) 25 ppm ACGIH Remark (ACGIH) CNS impair; asthma; hematologic eff 1,2,4-trimethylbenzene (95-63-6) ACGIH TWA (ppm) ACGIH 25 ppm cumene (98-82-8) ACGIH ACGIH TWA (ppm) 0.1 ppm Lung cancer; liver and lung dam; A2 (Suspected ACGIH Remark (ACGIH) Human Carcinogen: Human data are accepted as adequate in quality but are conflicting or insufficient to classify the agent as a confirmed human carcinogen; OR, the agent is carcinogenic in experimental animals at dose(s), by route(s) of exposure, at site(s), of histologic type(s), or by mechanism(s) considered relevant to worker exposure. The A2 is used primarily when there is limited evidence or carcinogenicity in humans and sufficient evidence of carcinogenicity in experimental animals with relevance to humans) OSHA OSHA PEL (TWA) (mg/m³) 245 mg/m³ OSHA OSHA PEL (TWA) (ppm) 50 ppm xylene (1330-20-7) ACGIH ACGIH TWA (ppm) 100 ppm ACGIH ACGIH STEL (ppm) 150 ppm ACGIH Remark (ACGIH) URT & eye irr; CNS impair OSHA OSHA PEL (TWA) (mg/m³) 435 mg/m³ OSHA PEL (TWA) (ppm) OSHA 100 ppm cymenes (25155-15-1)

Not applicable

8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective clothing.



SECTION 9: Physical and chemical properties			
9.1. Information on basic physical and chemical properties			
Physical state	: Liquid		
Appearance	: Clear, gold liquid.		
Odor	: Hydrocarbon odor		
Odor threshold	: No data available		
рН	: No data available		
Melting point	: No data available		
Freezing point	: No data available		

Safety Data Sheet

Boiling point	: No data available
Flash point	: 117 °F Closed Cup
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available
Vapor pressure	: No data available
Relative density	: No data available
Relative vapor density at 20 °C	: No data available
Specific gravity / density	: 0.88 g/ml
Solubility	: Insoluble in water.
Log Pow	: No data available
Log Kow	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: < 20 cSt
Viscosity, dynamic	: No data available
VOC content	: ND

SECTION 10: Stability and reactivity

	eactivity
10.1. Reactivity Upon combustion: CO and CO2 are	e formed.
10.2. Chemical stability	
No additional information available	
 Possibility of hazardous read Refer to section 10.1 on Reactivity. 	ctions
10.4. Conditions to avoid	
No additional information available	
10.5. Incompatible materials	
Oxidizing agents.	
10.6. Hazardous decomposition p	roducts
	and use, hazardous decomposition products should not be produced.
SECTION 11: Toxicological i	nformation
1.1. Information on toxicological	
11.1. mor mation on toxicological	
Acute toxicity	: Not classified
SOLVESSO 100 (64742-95-6)	
LD50 oral rat	> 2000 mg/kg (Rat, Oral)
LD50 dermal rabbit	> 3160 mg/kg (Rabbit, Dermal)
	> 3160 mg/kg (Rabbit, Dermal)
LD50 dermal rabbit Trimethylbenzene (25551-13-7) LD50 oral rat	> 3160 mg/kg (Rabbit, Dermal) 500 mg/kg
Trimethylbenzene (25551-13-7)	
Trimethylbenzene (25551-13-7) LD50 oral rat LD50 dermal rabbit	500 mg/kg 1100 mg/kg
Trimethylbenzene (25551-13-7) LD50 oral rat	500 mg/kg 1100 mg/kg
Trimethylbenzene (25551-13-7) LD50 oral rat LD50 dermal rabbit 1,2,4-trimethylbenzene (95-63-6) LD50 oral rat	500 mg/kg 1100 mg/kg 6000 mg/kg body weight (EU Method B.1 tris: Acute oral toxic – Acute toxic class method, Rat,
Trimethylbenzene (25551-13-7) LD50 oral rat LD50 dermal rabbit 1,2,4-trimethylbenzene (95-63-6) LD50 oral rat LD50 dermal rat	500 mg/kg 1100 mg/kg 6000 mg/kg body weight (EU Method B.1 tris: Acute oral toxic – Acute toxic class method, Rat, Male, Experimental value, Oral)
Trimethylbenzene (25551-13-7) LD50 oral rat LD50 dermal rabbit 1,2,4-trimethylbenzene (95-63-6) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l)	500 mg/kg 1100 mg/kg 6000 mg/kg body weight (EU Method B.1 tris: Acute oral toxic – Acute toxic class method, Rat, Male, Experimental value, Oral) 3440 mg/kg (24 h, Rat, Male / female, Read-across, Dermal)
Trimethylbenzene (25551-13-7) LD50 oral rat LD50 dermal rabbit 1,2,4-trimethylbenzene (95-63-6) LD50 oral rat LD50 dermal rat	500 mg/kg 1100 mg/kg 6000 mg/kg body weight (EU Method B.1 tris: Acute oral toxic – Acute toxic class method, Rat, Male, Experimental value, Oral) 3440 mg/kg (24 h, Rat, Male / female, Read-across, Dermal) > 10.2 mg/l air (4 h, Rat, Male / female, Read-across, Inhalation (vapours), 14 day(s))
Trimethylbenzene (25551-13-7) LD50 oral rat LD50 dermal rabbit 1,2,4-trimethylbenzene (95-63-6) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral)	500 mg/kg 1100 mg/kg 6000 mg/kg body weight (EU Method B.1 tris: Acute oral toxic – Acute toxic class method, Rat, Male, Experimental value, Oral) 3440 mg/kg (24 h, Rat, Male / female, Read-across, Dermal) > 10.2 mg/l air (4 h, Rat, Male / female, Read-across, Inhalation (vapours), 14 day(s)) 6000 mg/kg body weight
Trimethylbenzene (25551-13-7) LD50 oral rat LD50 dermal rabbit 1,2,4-trimethylbenzene (95-63-6) LD50 oral rat LD50 dermal rat LC50 inhalation rat (mg/l) ATE CLP (oral) ATE CLP (dermal)	500 mg/kg 1100 mg/kg 6000 mg/kg body weight (EU Method B.1 tris: Acute oral toxic – Acute toxic class method, Rat, Male, Experimental value, Oral) 3440 mg/kg (24 h, Rat, Male / female, Read-across, Inhalation (vapours), 14 day(s)) 6000 mg/kg body weight 3440 mg/kg body weight



Date of issue: 11/12/2019

Safety Data Sheet



xylene (1330-20-7)	
LC50 inhalation rat (ppm)	4550 ppmV/4h
ATE CLP (dermal)	1100 mg/kg body weight
ATE CLP (gases)	4550 ppmV/4h
ATE CLP (dust, mist)	1.5 mg/l/4h
cymenes (25155-15-1)	
LD50 oral rat	> 2000 mg/kg (Rat, Oral)
Skin corrosion/irritation :	Causes skin irritation.
Serious eye damage/irritation :	Causes serious eye irritation.
Respiratory or skin sensitization :	Not classified
Germ cell mutagenicity :	May cause genetic defects.
Carcinogenicity :	May cause cancer.
cumene (98-82-8)	
IARC group	2B - Possibly carcinogenic to humans
xylene (1330-20-7)	
IARC group	3 - Not classifiable
Reproductive toxicity :	Not classified
Specific target organ toxicity - single exposure :	May cause respiratory irritation. May cause drowsiness or dizziness.
Specific target organ toxicity – repeated exposure	: Not classified
Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact	 May be fatal if swallowed and enters airways. Harmful if inhaled. May cause drowsiness or dizziness. May cause respiratory irritation. Harmful in contact with skin. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye irritation.
Symptoms/effects after ingestion	: Harmful if swallowed. May be fatal if swallowed and enters airways. Risk of aspiration pneumonia. Gastrointestinal complaints.

2.1. Toxicity	
SOLVESSO 100 (64742-95-6)	
LC50 fish 1	18 mg/l (Pisces)
EC50 Daphnia 1	21 mg/l (Daphnia sp.)
1,2,4-trimethylbenzene (95-63-6)	
LC50 fish 1	7.72 mg/l (96 h, Pimephales promelas, Flow-through system, Fresh water, Experimenta value, Lethal)
2.2. Persistence and degradability	
SOLVESSO 100 (64742-95-6)	
Persistence and degradability	Readily biodegradable in water.
1,2,4-trimethylbenzene (95-63-6)	
Persistence and degradability	Biodegradable in the soil. Not readily biodegradable in water.
Chemical oxygen demand (COD)	0.44 g O₂/g substance
cymenes (25155-15-1)	
Persistence and degradability	Biodegradability in water: no data available.
2.3. Bioaccumulative potential	
SOLVESSO 100 (64742-95-6)	
Log Pow	> 3
1,2,4-trimethylbenzene (95-63-6)	
BCF fish 1	243 (Pimephales promelas, QSAR)
Log Pow	3.63 (Experimental value, KOWWIN)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

Safety Data Sheet



cymenes (25155-15-1)

Bioaccumulative potential

No bioaccumulation data available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal : Dispose in a safe manner in accordance with local/national regulations. recommendations

SECTION 14: Transport information Department of Transportation (DOT)

···· · ··· · ··· (· ·

In accordance with DOT : Not regulated for transport

DOT Special Provisions (49 CFR 172.102)	:
DOT Vessel Stowage Location	:

Additional information

Other

information	: When transported by ground in non-bulk containers, this product utilizes the exception found under 49 CFR 173.150. If any alteration of packaging, product, or mode of transportation is further intended, different shipping names and labeling may be required.

K
additional information available
ansport by sea
additional information available
· transport
additional information available

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

Chemical(s) subject to the reporting requirements of Section 313 or Title III of the Superfund Amendments and Reauthorization Act (SARA) of 1986 and 40 CFR Part 372.

1,2,4-trimethylbenzene	CAS-No. 95-63-6	15-40%
cumene	CAS-No. 98-82-8	3-8%
xylene	CAS-No. 1330-20-7	0.5-5%

1,2,4-trimethylbenzene (95-63-6)	
Subject to reporting requirements of United State	s SARA Section 313

cumene (98-82-8)	
Subject to reporting requirements of Unite	itates SARA Section 313
CERCLA RQ	5000 lb

xylene (1330-20-7) Subject to reporting requirements of United States SARA Section 313 CERCLA RQ 100 lb

This product can expose you to benzene, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to www.P65Warnings.ca.gov.

Safety Data Sheet



SECTION 16: Other information


Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

H226	Flammable liquid and vapour
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H312	Harmful in contact with skin
H315	Causes skin irritation
H319	Causes serious eye irritation
H320	Causes eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H340	May cause genetic defects
H350	May cause cancer
H351	Suspected of causing cancer
H411	Toxic to aquatic life with long lasting effects

NFPA health hazard	:	2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual injury.	
NFPA fire hazard	:	2 - Materials that must be moderately heated or exposed to relatively high ambient temperatures before ignition can occur.	
NFPA reactivity	:	0 - Material that in themselves are normally stable, even under fire conditions.	



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.