Safety Data Sheet



SECTION 1: Product and company identification

Product name	Lemocide Disinfectant
Use of the substance/mixture	Disinfectant
Product code	0173
Distributor	CleaningChemicalSupply.com
	P.O. Box 670925
	Marietta, GA 30066 - USA
	Phone 888-678-7489
	Admin@CleaningChemicalSupply.com
	Contact: Technical Department
Emergency number	: Chemtrec: 1-800-424-9300

SECTION 2: Hazards identification

2.1. Classification of th	ne substance or mixture
GHS-US classification	
Acute Tox. 4	H332
(Inhalation:dust,mist)	
Skin Irrit. 2	H315
Eye Dam. 1	H318
Skin Sens. 1	H317
Carc. 2	H351
STOT SE 2	H371
2.2. Label elements	

GHS US labelling	
Hazard pictograms (GHS US)	
Signal word (GHS US) Hazard statements (GHS US)	GHS05 GHS07 GHS08 : Danger . : Causes skin irritation. . May cause an allergic skin reaction. . Causes serious eye damage. . Harmful if inhaled. . Suspected of causing cancer. . May cause damage to organs. .
Precautionary statements (GHS US)	 Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Do not breathe mist, spray. Avoid breathing mist, spray. Wash thoroughly after handling Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Contaminated work clothing must not be allowed out of the workplace. Wear eye protection, protective clothing, protective gloves. If on skin: Wash with plenty of water. If inhaled: Remove person to fresh air and keep comfortable for breathing. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If exposed or concerned: Call a poison center or doctor. If exposed or concerned: Get medical advice/attention. Immediately call a POISON CENTER, a doctor. Call a doctor, a POISON CENTER, a doctor. Call a doctor, a POISON CENTER, a doctor. If skin irritation occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Store locked up. Dispose of contents/container to comply with local/regional/national/international regulations

2.3. Other hazards

No additional information available

Safety Data Sheet

2.4. Unknown acute toxicity (GHS US)

Not applicable.

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

5.2. WIRLUTES			
Name	Product identifier	%	GHS-US classification
C12-15 Alcohols Ethoxylated	(CAS-No.) 68131-39-5	1-5	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
Sodium Carbonate	(CAS-No.) 497-19-8	1-5	Eye Irrit. 2, H319
Alkyl C12-18 Dimethylbenzyl Ammonium Chloride	(CAS-No.) 68391-01-5	1-5	Acute Tox. 3 (Oral), H301
			Acute Tox. 2 (Inhalation), H330
			Skin Corr. 1B, H314
			STOT SE 2, H371
			Aquatic Acute 1, H400
			Aquatic Chronic 1, H410
Alkyl C12-14 Dimethylethylbenzyl Ammonium Chloride	(CAS-No.) 85409-23-0	1-5	Acute Tox. 4 (Oral), H302
			Acute Tox. 4 (Dermal), H312
			Skin Corr. 1B, H314
			Aquatic Chronic 1, H410
Tetrasodium EDTA	(CAS-No.) 64-02-8	0.5-1.5	Acute Tox. 4 (Oral), H302
			Eye Dam. 1, H318
Ethanol	(CAS-No.) 64-17-5	0.1-1.0	Flam. Liq. 2, H225
			Eye Irrit. 2A, H319
			Carc. 1A, H350
			STOT SE 3, H336
d-Limonene	(CAS-No.) 5989-27-5	0.1-1.0	Flam. Liq. 3, H226
			Skin Irrit. 2, H315
			Skin Sens. 1, H317
			Asp. Tox. 1, H304
Trisodium NTA	(CAS-No.) 5064-31-3	0.1-1.0	Acute Tox. 4 (Oral), H302
			Eye Irrit. 2A, H319
			Carc. 2, H351

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

SECTION 4: First aid measures	
4.1. Description of first aid measures	
First-aid measures general First-aid measures after inhalation	 If you feel unwell, seek medical advice (show the label where possible). Remove person to fresh air and keep comfortable for breathing. Get medical advice/attention if you feel unwell.
First-aid measures after skin contact	: Take off contaminated clothing and wash it before reuse. Wash with plenty of water/ If skin irritation or rash occurs: Get medical advice/attention.
First-aid measures after eye contact	 Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Consult a doctor/medical service if you feel unwell.
4.2. Most important symptoms and effect	cts, both acute and delayed
Symptoms/effects Symptoms/effects after inhalation Symptoms/effects after skin contact	 Causes skin irritation. May cause an allergic skin reaction. May cause cancer. May cause damage to organs. Causes serious eye damage. Harmful if inhaled. Harmful if inhaled. May cause an allergic skin reaction. Causes skin irritation.
Symptoms/effects after eye contact Symptoms/effects after ingestion	 Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Nausea. Diarrhea. Cramps.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.



Safety Data Sheet



SECTION 5: Firefighting measures

5.1. Extinguishing media	
Suitable extinguishing media	: All extinguishing media allowed.
5.2. Special hazards arising from the su	ibstance or mixture
Reactivity	: Upon combustion: CO and CO2 are formed.
5.3. Advice for firefighters	
Firefighting instructions	 Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed containers. Take account of environmentally hazardous firefighting water.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures			
6.1. Personal precautions, protective equipment and emergency procedures			
General measures	: Isolate from fire, if possible, without unnecessary risk.		
6.1.1. For non-emergency personnel Protective equipment Emergency procedures	 Safety glasses. Gloves. Protective clothing. Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area. 		
6.1.2. For emergency responders Protective equipment Emergency procedures	 Equip cleanup crew with proper protection. Stop leak if safe to do so. Stop release. Ventilate area. 		
6.2. Environmental precautions	6.2. Environmental precautions		
Avoid release to the environment. Prevent soil and water pollution.			

6.3. Methods and material for containment and cleaning up			
For containment Methods for cleaning up	 Contain released product, collect/pump into suitable containers. This material and its container must be disposed of in a safe way, and as per local legislation. 		

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage	
7.1. Precautions for safe handling	
Precautions for safe handling	: Comply with the legal requirements. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing.
Hygiene measures	: Wash thoroughly after handling. Wash contaminated clothing before reuse.
7.2. Conditions for safe storage, includin	g any incompatibilities
Technical measures	: Comply with applicable regulations.

Storage conditions	: Keep container closed when not in use. Store in original container. Protect from freezing.	
Incompatible products	: Strong acids.	
Storage area	: Keep only in the original container. Store in a dry area. Store in a cool area.	
Special rules on packaging	: meet the legal requirements.	

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Alkyl C12-18 Dimethylbenzyl Ammonium	Chloride	(68391-	01-5)
--------------------------------------	----------	---------	-------

Not applicable

Ethanol (64-17-5)			
ACGIH	ACGIH OEL STEL [ppm]	1000 ppm	
ACGIH	Remark (ACGIH)	URT irr	
OSHA	OSHA PEL TWA [1]	1900 mg/m³	
OSHA	OSHA PEL TWA [2]	1000 ppm	

Alkyl C12-14 Dimethylethylbenzyl Ammonium Chloride (85409-23-0) Not applicable

Safety Data Sheet

Sodium Carbonate (497-19-8)

Not applicable

Tetrasodium EDTA (64-02-8)

Not applicable

Trisodium NTA (5064-31-3)

Not applicable

C12-15 Alcohols Ethoxylated (68131-39-5)

Not applicable

d-Limonene (5989-27-5)

Not applicable

8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Safety glasses. Gloves. Protective clothing.



SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical propertie

5.1. Information on basic physical and chem	iicai	properties
Physical state	:	Liquid
Appearance	:	clear,Yellow liquid
Odour	:	lemon-like
Odour threshold	:	No data available
pH	:	11 – 14
Melting point	:	No data available
Freezing point	:	No data available
Boiling point	:	No data available
Flash point	:	> 200 °F Closed Cup
Relative evaporation rate (butylacetate=1)	:	No data available
Flammability (solid, gas)	:	No data available
Explosive limits	:	No data available
Explosive properties	:	No data available
Oxidising properties	:	No data available
Vapour pressure	:	No data available
Relative density	:	No data available
Relative vapour density at 20 °C	:	No data available
Density	:	1.04 g/ml
Solubility	:	Soluble in water.
Partition coefficient n-octanol/water (Log Pow)	:	No data available
Partition coefficient n-octanol/water (Log Kow)	:	No data available
Auto-ignition temperature	:	No data available
Decomposition temperature	:	No data available
Viscosity	:	No data available
Viscosity, kinematic	:	No data available
Viscosity, dynamic	:	No data available
VOC content	:	< 1 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

Stable under normal conditions.

10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.



Safety Data Sheet

10.4. Conditions to avoid

No additional information available

10.5. Incompatible materials

Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological inform	ation
11.1. Information on toxicological effects	
Acute toxicity	: Not classified
Ethanol (64-17-5)	
L D50 oral rat	10470 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat Male / female, Experimental value
	Oral 14 day(s))
I D50 dermal rabbit	> 15800 mg/kg bodyweight (Rabbit Experimental value Dermal)
I C50 Inhalation - Rat	124 7 mg/l air (Equivalent or similar to QECD 403 4 h. Rat. Male / female. Experimental value
	Inhalation (vapours). 14 day(s))
ATE CLP (oral)	10740 ma/ka bodyweiaht
Sodium Carbonate (497-19-8)	
LD50 oral rat	2800 mg/kg (Rat, Male / female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 2000 mg/kg (16 CFR 1500.40, 24 h, Rabbit, Experimental value, Dermal, 14 day(s))
LC50 Inhalation - Rat	(2 h, Rat, Male, Experimental value)
ATE CLP (oral)	2800 mg/kg bodyweight
ATE CLP (vapours)	2.3 mg/l/4h
ATE CLP (dust,mist)	2.3 mg/l/4h
Tetrasodium EDTA (64-02-8)	
LD50 oral rat	1780 – 2000 mg/kg (Rat, Male / female, Experimental value, Oral)
ATE CLP (oral)	500 mg/kg bodyweight
Tricodium NTA (5064-21-2)	
	17/10 ma/kg rat, male and female
LD50 dermal rabbit	
	1740 mg/kg bodyweight
C12-15 Alcohols Ethoxylated (68131-39-5)
LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg
d-Limonene (5989-27-5)	
LD50 oral rat	> 2000 mg/kg bodyweight (OECD 423: Acute Oral Toxicity – Acute Toxic Class Method, Rat,
	Female, Experimental value, Oral, 14 day(s))
LD50 dermal rabbit	> 5000 mg/kg bodyweight (Equivalent or similar to OECD 402, 24 h, Rabbit, Read-across, Dermal,
	7 day(s))
Skin correction/irritation	· Courses skin initiation
Skin conosion/initation	h h h h h h h h h h
Serious eye damage/irritation	Causes serious eye damage.
	pH: 11 – 14
Respiratory or skin sensitisation	: may cause an allergic skin reaction.
Carcinogenicity	: Suspected of causing cancer.
	-
Ethanol (64-17-5)	

IARC group 1 - Carcinogenic to humans



Safety Data Sheet



 Trisodium NTA (5064-31-3)

 IARC group

2B - Possibly carcinogenic to humans

d-Limonene (5989-27-5)	
IARC group	3 - Not classifiable
Reproductive toxicity STOT-single exposure STOT-repeated exposure	 Not classified May cause damage to organs. Not classified
Aspiration hazard Symptoms/effects after inhalation Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after ingestion Likely routes of exposure	 Not classified Harmful if inhaled. May cause an allergic skin reaction. Causes skin irritation. Causes serious eye damage. Corrosion of the eye tissue. Permanent eye damage. Burns to the gastric/intestinal mucosa. Gastrointestinal complaints. Nausea. Diarrhea. Cramps. Skin and eyes contact;Inhalation
SECTION 12: Ecological information	

_

Sodium Carbonate (497-19-8)	
LC50 - Fish [1]	300 mg/l (96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value, Lethal)
EC50 - Crustacea [1]	200 – 227 mg/l (48 h, Ceriodaphnia sp., Semi-static system, Fresh water, Experimental value, Locomotor effect)

Tetrasodium EDTA (64-02-8)	
LC50 - Fish [1]	121 mg/l (US EPA, 96 h, Lepomis macrochirus, Static system, Fresh water, Experimental value,
	Soft water)
EC50 - Crustacea [1]	625 mg/l (DIN 38412-11, 24 h, Daphnia magna, Static system, Fresh water, Experimental value,
	Locomotor effect)
ErC50 algae	> 100 mg/l (EU Method C.3, 72 h, Desmodesmus subspicatus, Static system, Fresh water, Weight
	of evidence, Nominal concentration)

Trisodium NTA (5064-31-3)	
LC50 - Fish [1]	114 mg/l Pimephales promelas (fathead minnow); Test Type: flow-through test
EC50 - Crustacea [1]	> 100 mg/l Daphnia magna (Water flea); Test Type: static test
ErC50 algae	91.5 mg/l Desmodesmus subspicatus (green algae); Exposure time: 72 h; Test Type: static test;
	Method: OECD Test Guideline 201

C12-15 Alcohols Ethoxylated (68131-39-5)	
LC50 - Fish [1]	5 – 10 mg/l Fish
EC50 - Crustacea [1]	5 – 10 mg/l Daphnia
ErC50 algae	10 – 100 mg/l Algae

d-Limonene (5989-27-5)	
LC50 - Fish [1]	720 µg/l (Equivalent or similar to OECD 203, 96 h, Pimephales promelas, Flow-through system,
	Fresh water, Experimental value)
EC50 - Crustacea [1]	0.307 mg/l (OECD 202: Daphnia sp. Acute Immobilisation Test, 48 h, Daphnia magna, Semi-static
	system, Fresh water, Experimental value, GLP)
ErC50 algae	0.32 mg/l (OECD 201: Alga, Growth Inhibition Test, 72 h, Pseudokirchneriella subcapitata, Static
	system, Fresh water, Experimental value, GLP)

12.2. Persistence and degradability	
Ethanol (64-17-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.

Safety Data Sheet



Biochemical oxygen demand (BOD)	0.8 – 0.967 g O ₂ /g substance
Chemical oxygen demand (COD)	1.7 g O ₂ /g substance
ThOD	2.1 g O ₂ /g substance
BOD (% of ThOD)	0.43

Sodium Carbonate (497-19-8)	
Persistence and degradability	Biodegradability: not applicable.
Chemical oxygen demand (COD)	Not applicable (inorganic)
ThOD	Not applicable (inorganic)

Tetrasodium EDTA (64-02-8)	
Persistence and degradability	Not readily biodegradable in water.
Biochemical oxygen demand (BOD)	< 0.002 g O ₂ /g substance
Chemical oxygen demand (COD)	0.54 – 0.58 g O ₂ /g substance

d-Limonene (5989-27-5)	
Persistence and degradability	Readily biodegradable in water.
ThOD	3.29 g O ₂ /g substance

12.3. Bioaccumulative potential	
Ethanol (64-17-5)	
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

Sodium Carbonate (497-19-8)	
Bioaccumulative potential	Not bioaccumulative.

Tetrasodium EDTA (64-02-8)	
BCF - Fish [1]	1.1 – 1.8 (28 day(s), Lepomis macrochirus, Flow-through system, Fresh water, Experimental value,
	Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	-13.17 (Estimated value, KOWWIN)
Bioaccumulative potential	Low potential for bioaccumulation (BCF < 500).

d-Limonene (5989-27-5)	
BCF - Fish [1]	864.8 l/kg (BCFBAF v3.01, Pisces, QSAR, Fresh weight)
Partition coefficient n-octanol/water (Log Pow)	4.38 (Experimental value, Equivalent or similar to OECD 117, 37 °C)
Bioaccumulative potential	Potential for bioaccumulation (4 \leq Log Kow \leq 5).

SECTION 13: Disposal considerations	
13.1. Waste treatment methods	
Product/Packaging disposal recommendations	: Dispose in a safe manner in accordance with local/national regulations.
SECTION 14: Transport information	
Department of Transportation (DOT)	
In accordance with DOT : Not regulated for	or transport
Additional information	
Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
No additional information available	
Air transport	
No additional information available	

Safety Data Sheet



SECTION 15: Regulatory information

EPA Registration Number: 1389-95

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label

Danger: Corrosive. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear goggles or face shield, rubber gloves, and protective clothing. Harmful if swallowed. Remove contaminated clothing ans wash before reuse. Wash hands before eating, drinking, chewing gum, using tobacco or using the toilet.

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

This product can expose you to Formaldehyde, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

SECTION 16: Other information

Training advice	: Normal use of this product shall imply use in accordance with the instructions on the packaging.
NFPA health hazard	2 - Materials that, under emergency conditions, can cause temporary incapacitation or residual
NFPA fire hazard	0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible
NFPA reactivity	0 - Material that in themselves are normally stable, even under fire conditions.

Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.