Safety Data Sheet



### **SECTION 1: Product and company identification**

Product name : Low Foam Extractor Concentrate

Use of the substance/mixture : Cleaner Product code : 0342

Company : CleaningChemicalSupply.com

P.O. Box 240014 Marietta, GA 30066 - USA Phone 888-6787489

Emergency number : Chemtrec: 1-800-424-9300

#### **SECTION 2: Hazards identification**

### 2.1. Classification of the substance or mixture

GHS-US classification Not classified

#### 2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US)

#### 2.3. Other hazards

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

Not applicable.

### **SECTION 3: Composition/information on ingredients**

### 3.1. Substances

Not applicable

### 3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Tetrapotassium Pyrophosphate	(CAS-No.) 7320-34-5	1-5	Skin Irrit. 2, H315
(Suspension Agent)			Eye Irrit. 2A, H319
			STOT SE 3, H335
Tetrasodium N-(3-Carboxyl-1-Sulfopropyl)-N-Stearyl Asparate	(CAS-No.) 38916-42-6	1.5 – 2.5	Acute Tox. 4 (Inhalation), H332
(Surfactant)			Eye Irrit. 2A, H319
Ethanol	(CAS-No.) 64-17-5	0.05 – 0.25	Flam. Liq. 2, H225
(Surfactant)			Eye Irrit. 2A, H319
			Carc. 1A, H350
			STOT SE 3, H336

All hazardous chemicals, as determined by 29 CFR 1910.1200 have been listed. A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

### **SECTION 4: First aid measures**

## 4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : Remove the victim into fresh air. First-aid measures after skin contact : Rinse skin with water/shower.

First-aid measures after eye contact : Rinse immediately with plenty of water. Remove contact lenses, if present and easy to do. Continue

rinsing.

First-aid measures after ingestion : Call a poison center or a doctor if you feel unwell.

### 4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects : Not expected to present a significant hazard under anticipated conditions of normal use.

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact : Contact during a long period may cause light irritation. Symptoms/effects after eye contact : Direct contact with the eyes is likely to be irritating.

Symptoms/effects after ingestion : Gastrointestinal complaints.

Issue date: 6/14/2022 Revision date: 03/19/2018 Version: 1.1 Z\_US GHS SDS 21 Page 1 of 5

## Safety Data Sheet



#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### **SECTION 5: Firefighting measures**

#### 5.1. Extinguishing media

Suitable extinguishing media : All extinguishing media allowed.

### 5.2. Special hazards arising from the substance or mixture

Reactivity : Thermal decomposition may produce oxides of carbon and nitrogen.

### 5.3. Advice for firefighters

Firefighting instructions Exercise caution when fighting any chemical fire. Use water spray or fog for cooling exposed

containers. Take account of environmentally hazardous firefighting water.

Protection during firefighting Do not enter fire area without proper protective equipment, including respiratory protection.

### **SECTION 6: Accidental release measures**

### 6.1. Personal precautions, protective equipment and emergency procedures

General measures : Isolate from fire, if possible, without unnecessary risk.

### 6.1.1. For non-emergency personnel

Protective goggles. Gloves. Protective clothing. Protective equipment

**Emergency procedures** Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

### 6.1.2. For emergency responders

Equip cleanup crew with proper protection. Protective equipment

**Emergency procedures** Stop leak if safe to do so. Stop release. Ventilate area.

### **Environmental precautions**

Avoid release to the environment. Prevent entry to sewers and public waters.

### Methods and material for containment and cleaning up

For containment Contain released product, collect/pump into suitable containers.

Methods for cleaning up This material and its container must be disposed of in a safe way, and as per local legislation.

### Reference to other sections

No additional information available

## **SECTION 7: Handling and storage**

# 7.1. Precautions for safe handling

Precautions for safe handling Comply with the legal requirements. Do not handle until all safety precautions have been read and

understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this

product. Do not get in eyes, on skin, or on clothing.

Hygiene measures Wash thoroughly after handling. Wash contaminated clothing before reuse.

### Conditions for safe storage, including any incompatibilities

Technical measures Comply with applicable regulations.

Storage conditions Keep container closed when not in use. Protect from freezing. Incompatible products

Information on mixed storage KEEP SUBSTANCE AWAY FROM: (strong) acids.

Storage area Meet the legal requirements. Store in a cool area. Store in a dry area.

meet the legal requirements. Special rules on packaging

### **SECTION 8: Exposure controls/personal protection**

## 8.1. Control parameters

Ethanol (64-17-5)		
ACGIH	ACGIH OEL STEL [ppm]	1000 ppm
ACGIH	Remark (ACGIH)	URT irr
OSHA	OSHA PEL TWA [1]	1900 mg/m³
OSHA	OSHA PEL TWA [2]	1000 ppm

Issue date: 6/14/2022 Revision date: 03/19/2018 Version: 1.1 Z US GHS SDS 21 Page 2 of 5





Tetrapotassium Pyrophosphate (7320-34-5)

Not applicable

Tetrasodium N-(3-Carboxyl-1-Sulfopropyl)-N-Stearyl Asparate (38916-42-6)

Not applicable

### 8.2. Exposure controls

Personal protective equipment

: Use appropriate personal protective equipment when risk assessment indicates this is necessary. Protective goggles. Gloves. Protective clothing.







## **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid

Appearance : clear,Green,Liquid
Odour
Odour threshold : Mild odour
No data available

рΗ 11 – 12 Melting point No data available Freezing point No data available Boiling point No data available > 200 °F Closed Cup Flash point Relative evaporation rate (butylacetate=1) No data available Flammability (solid, gas) No data available **Explosive limits** No data available Explosive properties No data available Oxidising properties No data available Vapour pressure No data available Relative density No data available Relative vapour density at 20 °C No data available Density 1.05 g/ml Solubility Soluble in water. Partition coefficient n-octanol/water (Log Pow) No data available Partition coefficient n-octanol/water (Log Kow) No data available No data available Auto-ignition temperature No data available Decomposition temperature

Viscosity : No data available
Viscosity, kinematic : No data available
Viscosity, dynamic : No data available

VOC content : < 0.5 %

### **SECTION 10: Stability and reactivity**

## 10.1. Reactivity

Thermal decomposition may produce oxides of carbon and nitrogen.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

Refer to section 10.1 on Reactivity.

### 10.4. Conditions to avoid

No additional information available

### 10.5. Incompatible materials

No additional information available

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

lssue date: 6/14/2022 Revision date: 03/19/2018 Version: 1.1 Z US GHS SDS 21 Page 3 of 5

Safety Data Sheet



### **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

Acute toxicity : Not classified

Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg bodyweight (OECD 401: Acute Oral Toxicity, Rat, Male / female, Experimental value,
	Oral, 14 day(s))
LD50 dermal rabbit	> 15800 mg/kg bodyweight (Rabbit, Experimental value, Dermal)
LC50 Inhalation - Rat	124.7 mg/l air (Equivalent or similar to OECD 403, 4 h, Rat, Male / female, Experimental value,
	Inhalation (vapours), 14 day(s))
ATE CLP (oral)	10740 mg/kg bodyweight

Tetrapotassium Pyrophosphate (7320-34-5)	
LD50 dermal rabbit	> 4640 mg/kg (Rabbit)

## Ethanol (64-17-5)

IARC group 1 - Carcinogenic to humans

Reproductive toxicity : Not classified STOT-single exposure : Not classified STOT-repeated exposure : Not classified Aspiration hazard : Not classified

Symptoms/effects after inhalation : None under normal use.

Symptoms/effects after skin contact : Contact during a long period may cause light irritation. Symptoms/effects after eye contact : Direct contact with the eyes is likely to be irritating.

Symptoms/effects after ingestion : Gastrointestinal complaints. Likely routes of exposure : Skin and eyes contact

### **SECTION 12: Ecological information**

## 12.1. Toxicity

Ethanol (64-17-5)	
LC50 - Fish [1]	15300 mg/l (US EPA, 96 h, Pimephales promelas, Flow-through system, Fresh water,
	Experimental value, Lethal)

Tetrapotassium Pyrophosphate (7320-34-5)	
LC50 - Fish [1]	> 750 mg/l (48 h, Leuciscus idus)

## 12.2. Persistence and degradability

Ethanol (64-17-5)	
Persistence and degradability	Biodegradable in the soil. Readily biodegradable in water.
Biochemical oxygen demand (BOD)	0.8 – 0.967 g O <sub>2</sub> /g substance
Chemical oxygen demand (COD)	1.7 g O <sub>2</sub> /g substance
ThOD	2.1 g O <sub>2</sub> /g substance
BOD (% of ThOD)	0.43

Tetrapotassium Pyrophosphate (7320-34-5)	
Persistence and degradability	Biodegradability: not applicable.
Biochemical oxygen demand (BOD)	Not applicable
Chemical oxygen demand (COD)	Not applicable
ThOD	Not applicable
BOD (% of ThOD)	Not applicable

Issue date: 6/14/2022 Revision date: 03/19/2018 Version: 1.1 Z\_US GHS SDS 21 Page 4 of 5

# Safety Data Sheet



12.3.	Bioaccumul	lative	potential
-------	------------	--------	-----------

Ethanol (64-17-5)	
BCF - Fish [1]	1 (Other, 72 h, Cyprinus carpio, Static system, Fresh water, Read-across)
Partition coefficient n-octanol/water (Log Pow)	-0.31 (Experimental value)
Bioaccumulative potential	Not bioaccumulative.

Tetrapotassium Pyrophosphate (7320-34-5)	
Bioaccumulative potential	Bioaccumulation: not applicable.

### **SECTION 13: Disposal considerations**

### 13.1. Waste treatment methods

Product/Packaging disposal recommendations

: Dispose in a safe manner in accordance with local/national regulations.

## **SECTION 14: Transport information**

### **Department of Transportation (DOT)**

In accordance with DOT: Not regulated for transport

#### **Additional information**

Other information : No supplementary information available.

#### ADR

No additional information available

#### Transport by sea

No additional information available

#### Air transport

No additional information available

### **SECTION 15: Regulatory information**

All components of this product are present and listed as Active on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.



This product can expose you to Formaldehyde, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov.

### **SECTION 16: Other information**


Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

NFPA health hazard : 1 - Materials that, under emergency conditions, can cause significant irritation.

NFPA fire hazard : 0 - Materials that will not burn under typical fire conditions, including intrinsically noncombustible

materials such as concrete, stone, and sand.

NFPA reactivity : 0 - Material that in themselves are normally stable, even under fire conditions.



### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.

Issue date: 6/14/2022 Revision date: 03/19/2018 Version: 1.1 Z\_US GHS SDS 21 Page 5 of 5