Safety Data Sheet



SECTION 1: Product and company identification

Product name : Orange Away – Aerosol with 93% d-Limonene

Use of the substance/mixture : Aerosol

Solvent

Product code : 8378

Distributor : CleaningChemicalSupply.com

P.O. Box 670925

Marietta, GA 30066 - USA Phone (888) 678-7489

Emergency number : Chemtec: (800) 424-9300

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (GHS-US)

Flam. Aerosol 1 H222 Skin Irrit. 2 H315 Skin Sens. 1 H317 Asp. Tox. 1 H304

Full text of H-phrases: see section 16

2.2. Label elements

Signal word (GHS-US)

GHS-US labeling

Hazard pictograms (GHS-US)



(!)



GHS08

GHS02 GHS07

2----

Hazard statements (GHS-US) : Extremely flammable aerosol

May be fatal if swallowed and enters airways

Causes skin irritation

May cause an allergic skin reaction

Precautionary statements (GHS-US) : Keep away from sparks, open flames, hot surfaces, heat. - No smoking

Do not spray on an open flame or other ignition source Pressurized container: Do not pierce or burn, even after use

Avoid breathing gas

Wash thoroughly after handling

Contaminated work clothing must not be allowed out of the workplace

Wear protective gloves

If swallowed: Immediately call a POISON CENTER, a doctor

If on skin: Wash with plenty of water

Specific treatment (see First aid measures on this label)

Do NOT induce vomiting

If skin irritation or rash occurs: Get medical advice/attention Take off contaminated clothing and wash before reuse

Store locked up

Protect from sunlight. Do not expose to temperatures exceeding 50 $^{\circ}\text{C}/122~^{\circ}\text{F}$

Dispose of contents/container to comply with local/regional/national/international regulations If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present

and easy to do. Continue rinsing

If eye irritation persists: Get medical advice/attention

IF INHALED: Move to fresh air, Give oxygen or artificial respiration if necessary, If symptoms

persist, call a physician

2.3. Other hazards

No additional information available

2.4. Unknown acute toxicity (GHS US)

Not applicable

SECTION 3: Composition/information on ingredients

3.1. Substance

Not applicable

Date of issue: 2/2/2016 Revision date: 01/29/2016 Version: 1.2 P GHS SDS Page 1 of 7

Safety Data Sheet

Full text of H-phrases: see section 16



3.2. Mixture

| Name | Product identifier | % | Classification (GHS-US) |
|-------------------------------|---------------------|----------|--|
| D-limonene (Technical Grade) | (CAS No) 94266-47-4 | 60 - 80 | Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 |
| propane | (CAS No) 74-98-6 | 10 - 20 | Flam. Gas 1, H220 Compressed gas, H280 |
| butane | (CAS No) 106-97-8 | 2.5 - 10 | Flam. Gas 1, H220 Compressed gas, H280 |
| Alcohol Ethoxylate | (CAS No) 68439-46-3 | 1 - 2.5 | Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 |
| UNDECETH-5 | (CAS No) 34398-01-1 | 1 - 2.5 | Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318 |
| Alcohols, C12-13, Ethoxylated | (CAS No) 66455-14-9 | 0.1 - 1 | Skin Irrit. 2, H315 Eye Dam. 1, H318 |

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general : If you feel unwell, seek medical advice (show the label where possible).

First-aid measures after inhalation : If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for

breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

First-aid measures after skin contact : Take off immediately all contaminated clothing and wash it before reuse. Wash skin with plenty of

water. If skin irritation or rash occurs: Get medical advice/attention.

First-aid measures after eye contact : Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing. If eye irritation persists: Get medical advice/attention.

First-aid measures after ingestion : Do NOT induce vomiting. Immediately call a poison center or doctor/physician. Rinse mouth with

water.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/injuries : If you feel unwell, seek medical advice.

Symptoms/injuries after inhalation : None under normal use.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction. Repeated exposure may cause skin

dryness or cracking.

Symptoms/injuries after eye contact : Direct contact with the eyes is likely irritating.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. Risk of aspiration pneumonia. Nausea.

Cramps/uncontrolled muscular contractions. Diarrhea.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically. Keep watching the victim. Symptoms may be delayed.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Carbon dioxide. Dry chemical powder. Water fog.
Unsuitable extinguishing media : Do not use a water jet since it may cause the fire to spread.

5.2. Special hazards arising from the substance or mixture

Fire hazard : May liberate toxic gases. Extremely flammable aerosol. Explosion hazard : Contains gas under pressure; may explode if heated.

Reactivity : Upon combustion: CO and CO2 are formed.

5.3. Advice for firefighters

Firefighting instructions : Exercise caution when fighting any chemical fire. In case of fire: Evacuate area. Fight fire remotely

due to the risk of explosion. Use water spray or fog for cooling exposed containers. Take account of

environmentally hazardous firefighting water.

Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures : No flames, No sparks. Eliminate all sources of ignition. Isolate from fire, if possible, without

unnecessary risk. Vapors may travel long distances along ground before igniting/flashing back to

vapor source.

6.1.1. For non-emergency personnel

Protective equipment : Protective goggles. Gloves. Protective clothing.

Date of issue: 2/2/2016 Revision date: 01/29/2016 Version: 1.2 P GHS SDS Page 2 of 7

Safety Data Sheet



Emergency procedures : Evacuate unnecessary personnel. Avoid contact with skin, eyes and clothing. Ventilate spillage area.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.

Emergency procedures : Stop leak if safe to do so. Stop release. Ventilate area.

6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters.

6.3. Methods and material for containment and cleaning up

For containment : Contain released substance, pump into suitable containers.

Methods for cleaning up : This material and its container must be disposed of in a safe way, and as per local legislation.

6.4. Reference to other sections

No additional information available

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Additional hazards when processed : Pressurized container: Do not pierce or burn, even after use. Do not use if spray button is missing or

defective

Precautions for safe handling : Comply with the legal requirements. Do not handle until all safety precautions have been read and

understood. Use personal protective equipment as required. Do not eat, drink or smoke when using this product. Do not get in eyes, on skin, or on clothing. Handle and open the container with care. Keep away from sources of ignition - No smoking. Use explosion-proof equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Do not spray on a naked flame or any incandescent material. Ground/bond container and receiving equipment. Use

only outdoors or in a well-ventilated area. Do not re-use empty containers.

Hygiene measures : Wash thoroughly after handling. Contaminated work clothing should not be allowed out of the

workplace. Wash contaminated clothing before reuse.

7.2. Conditions for safe storage, including any incompatibilities

Technical measures : Comply with applicable regulations. Proper grounding procedures to avoid static electricity should be

followed. Do not puncture, incinerate or crush.

Storage conditions : Store locked up. Refrigerate. (recommended).

Incompatible products : Oxidizing agent. strong acids.

Incompatible materials : Sources of ignition. Pressurized container. Protect from sunlight and do not expose to temperatures

exceeding 50°C.

Storage area : Store away from heat. Store in a cool area. Store in a dry area. Store in a well-ventilated place. Keep

locked up. Aerosol 3.

Special rules on packaging : Keep only in original container, meet the legal requirements.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

| propane (74-98-6) | | | |
|-------------------|----------------------|----------|--|
| ACGIH | ACGIH TWA (ppm) | 1000 ppm | |
| OSHA | OSHA PEL (TWA) (ppm) | 1000 ppm | |
| butane (106-97-8) | | | |
| ACGIH | ACGIH TWA (ppm) | 1000 ppm | |
| ACGIH | ACGIH STEL (ppm) | 1000 ppm | |

8.2. Exposure controls

Appropriate engineering controls : Ensure adequate ventilation, especially in confined areas. If exposure limits have not been

established, maintain airborne levels to an acceptable level. . Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure.

Personal protective equipment : Use appropriate personal protective equipment when risk assessment indicates this is necessary. Gloves. Safety glasses. Protective goggles. Protective clothing.



Hand protection : Gloves.

Eye protection : Avoid contact with eyes. Wear eye/face protection.

 Date of issue: 2/2/2016
 Revision date: 01/29/2016
 Version: 1.2
 P GHS SDS
 Page 3 of 7

Safety Data Sheet



Skin and body protection : Avoid contact with skin. Wear suitable protective clothing.

Respiratory protection : If permissible levels are exceeded use NIOSH mechanical filter / organic vapor cartridge or an air-

supplied respirator.

Thermal hazard protection : Use appropriate personal protective equipment when risk assessment indicates this is necessary.

Consumer exposure controls : When using do not smoke. Keep away from food and drink. Use good personal hygiene practices.

Wash hands and other exposed areas with mild soap and water before eat, drink or smoke and

when leaving work. Take off contaminated clothing and wash before reuse.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state : Gas

Appearance : Aerosol.

Odor : Citrus scent

Odor threshold : No data available

pH : No data available

Melting point : No data available

Freezing point : No data available

Boiling point : 348.8 °F (Estimated)

Flash point : -156 °F Propellant (Estimated)

Relative evaporation rate (butyl acetate=1) : No data available Flammability (solid, gas) : No data available Explosion limits : No data available Explosive properties : No data available Oxidizing properties : No data available

Vapor pressure : 30 - 45 psig @ 70F (Estimated)

Relative density : No data available
Relative vapor density at 20 °C : No data available
Specific gravity / density : 0.7583 g/ml (Estimated)
Solubility : No data available
Log Pow : No data available
Log Kow : No data available
Auto-ignition temperature : No data available

Decomposition temperature : No data available Viscosity : No data available

Viscosity, kinematic : < 20 cSt

Viscosity, dynamic : No data available

VOC content : > 90 %

SECTION 10: Stability and reactivity

10.1. Reactivity

Upon combustion: CO and CO2 are formed.

10.2. Chemical stability

Stable under normal conditions. Risk of ignition.

10.3. Possibility of hazardous reactions

No dangerous reactions known under normal conditions of use. Hazardous polymerization does not occur.

10.4. Conditions to avoid

Heat. Open flame. Sparks. Aerosol containers are unstable at temperatures above 49°C. Avoid temperatures exceeding the flash point.

10.5. Incompatible materials

Strong oxidizing agents. Nitrates. Fluorine. Chlorine.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Acute toxicity : Not classified

 Date of issue: 2/2/2016
 Revision date: 01/29/2016
 Version: 1.2
 P GHS SDS
 Page 4 of 7

Safety Data Sheet



| Alcohol Ethoxylate (68439-46-3) | | |
|---------------------------------|----------------------------|--|
| LD50 oral rat | 1400 mg/kg Estimated | |
| LD50 dermal rabbit | > 5000 mg/kg | |
| ATE CLP (oral) | 1400.000 mg/kg body weight | |
| UNDECETH-5 (34398-01-1) | | |
| LD50 oral rat | > 1400 ma/ka | |

Skin corrosion/irritation : Causes skin irritation.
Serious eye damage/irritation : Not classified.

Respiratory or skin sensitization : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified Carcinogenicity : Not classified Reproductive toxicity : Not classified Specific target organ toxicity (single exposure) : Not classified

Specific target organ toxicity (repeated

exposure)

: Not classified

Aspiration hazard : May be fatal if swallowed and enters airways.

Symptoms/injuries after inhalation : None under normal use.

Symptoms/injuries after skin contact : Causes skin irritation. May cause an allergic skin reaction. Repeated exposure may cause skin

dryness or cracking.

Symptoms/injuries after eye contact : Direct contact with the eyes is likely irritating.

Symptoms/injuries after ingestion : May be fatal if swallowed and enters airways. Risk of aspiration pneumonia. Nausea.

Cramps/uncontrolled muscular contractions. Diarrhea.

SECTION 12: Ecological information

12.1. Toxicity

| UNDECETH-5 (34398-01-1) | | |
|-------------------------|-----------|--|
| LC50 fish 1 | < 10 mg/l | |
| EC50 Daphnia 1 | < 10 mg/l | |
| ErC50 (algae) | < 10 mg/l | |

12.2. Persistence and degradability

No additional information available

12.3. Bioaccumulative potential

No additional information available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.

Additional information : Handle unclean empty containers as full ones. Do not re-use empty containers.

SECTION 14: Transport information

Department of Transportation (DOT)

Transport hazard class(es) (DOT)

Transport document description : UN1950 Aerosols (flammable, (each not exceeding 1 L capacity)), 2.1

UN-No.(DOT) : UN1950
Proper Shipping Name (DOT) : Aerosols

flammable, (each not exceeding 1 L capacity)
: 2.1 - Class 2.1 - Flammable gas 49 CFR 173.115

Hazard labels (DOT) : 2.1 - Flammable gas



Date of issue: 2/2/2016 Revision date: 01/29/2016 Version: 1.2 P GHS SDS Page 5 of 7

Safety Data Sheet



Marine pollutant : Yes (IMDG only)



: 75 kg

: 150 kg

DOT Packaging Non Bulk (49 CFR 173.xxx) : None DOT Packaging Bulk (49 CFR 173.xxx) : None DOT Special Provisions (49 CFR 172.102) : N82 DOT Packaging Exceptions (49 CFR : 306 173.xxx)

DOT Quantity Limitations Passenger

aircraft/rail (49 CFR 173.27)

DOT Quantity Limitations Cargo aircraft

only (49 CFR 175.75)

DOT Vessel Stowage Location : A

DOT Versal Observation Others

DOT Vessel Stowage Other : 25 - Shade from radiant heat,87 - Stow "separated from" Class 1 (explosives) except Division

14,126 - Segregation same as for Class 9, miscellaneous hazardous materials

Additional information

Other information : This product may be eligible to be shipped as a Limited Quantity or Consumer Commodity ORM-D

utilizing the exception found at 49 CFR 173.306.

ADR

No additional information available

Transport by sea

UN-No. (IMDG) : UN1950
Proper Shipping Name (IMDG) : Aerosols

Class (IMDG) : 2.1 - Flammable gases

Air transport

UN-No.(IATA) : UN1950

Proper Shipping Name (IATA) : Aerosols, flammable
Class (IATA) : 2.1 - Gases : Flammable

SECTION 15: Regulatory information

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory.

This product or mixture does not contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

| propane (74-98-6) | | |
|--|---------------------------------|--|
| Not listed on SARA Section 313 (Specific toxic | c chemical listings) | |
| | | |
| butane (106-97-8) | | |
| Not listed on SARA Section 313 (Specific toxic | c chemical listings) | |
| | | |
| UNDECETH-5 (34398-01-1) | | |
| | | |
| SARA Section 311/312 Hazard Classes | Immediate (acute) health hazard | |

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity

SECTION 16: Other information

Training advice : Normal use of this product shall imply use in accordance with the instructions on the packaging.

Full text of H-phrases:

Acute Tox. 4 (Oral) Acute toxicity (oral) Category 4

Date of issue: 2/2/2016 Revision date: 01/29/2016 Version: 1.2 P GHS SDS Page 6 of 7

Safety Data Sheet



| Asp. Tox. 1 | Aspiration hazard Category 1 |
|-----------------|--|
| Compressed gas | Gases under pressure Compressed gas |
| Eye Dam. 1 | Serious eye damage/eye irritation Category 1 |
| Eye Irrit. 2A | Serious eye damage/eye irritation Category 2A |
| Flam. Aerosol 1 | Flammable aerosol Category 1 |
| Flam. Gas 1 | Flammable gases Category 1 |
| Flam. Liq. 3 | Flammable liquids Category 3 |
| Skin Irrit. 2 | Skin corrosion/irritation Category 2 |
| Skin Sens. 1 | Skin sensitization Category 1 |
| H220 | Extremely flammable gas |
| H222 | Extremely flammable aerosol |
| H226 | Flammable liquid and vapor |
| H280 | Contains gas under pressure; may explode if heated |
| H302 | Harmful if swallowed |
| H304 | May be fatal if swallowed and enters airways |
| H315 | Causes skin irritation |
| H317 | May cause an allergic skin reaction |
| H318 | Causes serious eye damage |
| H319 | Causes serious eye irritation |


NFPA health hazard : 2 - Intense or continued exposure could cause temporary incapacitation or possible residual injury

unless prompt medical attention is given.

NFPA fire hazard : 4 - Will rapidly or completely vaporize at normal pressure and temperature, or is readily dispersed in

air and will burn readily.

NFPA reactivity : 0 - Normally stable, even under fire exposure conditions, and are not reactive with water.



Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks a ssociated with the use of this material.

 Date of issue: 2/2/2016
 Revision date: 01/29/2016
 Version: 1.2
 P GHS SDS
 Page 7 of 7