PRECAUTIONARY STATEMENTS

HAZARDS TO HUMANS & DOMESTIC ANIMALS

DANGER/PELIGRO

CORROSIVE. Causes irreversible eye damage. Harmful if swallowed. Harmful if absorbed through skin. Harmful if inhaled. Do not get in eyes, on skin, or on clothing. Avoid breathing

FIRST AID:

IF IN EYES: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison doctor for treatment advice.

IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice

IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice Have person sin a class of water if able to swallow. Do not induce vomiting unless told to do so by the poison control center or doctor. Do not give anything by mouth to an unconsc

IF INHALED: Move person to fresh air. If person is not breathing, call 911 or an ambulance, then give artificial respiration, preferable mouth-to-mouth if possible. Call a poison control center or doctor for further treatment advice
Have the product container or label with you when calling a poison control center or doctor

or going for treatment. For information on this pesticide (including health concerns, medical emergencies, or pesticide incidents), call the National Pesticide Information Center at 1-800-858-7378

For information on product, usage, etc., call 1-800-743-6417.

Note To Physician: Probable mucosal damage may contraindicate the use of gastric lavage.

PERSONAL PROTECTIVE EQUIPMENT (PPE): Some materials that are chemical-resistant to this product are made of any waterproof material If you want more options, follow the instructions for category A on an EPA chemical-resistance

All mixers, loaders, applicators, and other handlers must wear. Long-sleeved shirt and long pants, shoes and socks, goggles or face shield, chemical-resistant gloves, and chemical-resistant

apron when mixing or loading, cleaning up spills or equipment, or otherwise exposed to the

Follow manufacturer's instructions for cleaning/maintaining PPE. If no such instructions for washables exist, use detergent and hot water. Keep and wash PPE separately from other

Discard clothing and other absorbent materials that have been drenched or heavily contaminated with this product's concentrate. Do not reuse them.

LISER SAFETY RECOMMEDIATIONS

chewing gum, tobacco use, or using the toilet

User should remove clothing/PPE immediately if pesticide gets inside. Then wash thoroughly and put on clean clothing. If pesticide gets on skin, wash immediately with soap and water.

Users should remove PPE immediately after handling this product. Wash the outside of gloves before removing. As soon as possible, wash thoroughly and change into clean clothing.

If this container is over one gallon and less than five gallons, the person engaged in open pouring of this product must also wear coveralls or a chemical-resistant apron

ENVIRONMENTAL HAZARDS

and characteristics associated in cemical detected in groundwater Theurs of this cemical detected in groundwater Theurs of this cemical in areas where soils are permanent particularly where the water table is shallow, may result in groundwater contamination. Application around a cistern or well may result in contamination of drinking water or groundwater.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its label

IMPORTANT: Do not use this product for controlling IMPORTANT: Do not use this product for controlling weeds in flower or vegetable beds, or around shrubs or ornamental plantings. Do not reseed for 3 to 4 weeks after use. If lawn needs watering, water thoroughly before application. Do not water for 48 hours after application. Spray entire lawn, wetting weeds and lawn





Not for use on turf being grown for sale or other commercial sod, orfor commercial seed production, or for research purposes. Intended for use to residential areas by commercial applicators only.

KEEP OUT OF REACH OF CHILDREN DANGER/PELIGRO

EPA EST. 10088-WI-1

EPA REG. NO. 10088-81-68562

NET CONTENTS: One Gallon (128 fl. oz.)

Distributed By: Total Solutions™ PO Box 240014 • Milwaukee, WI 53224

Spray Drift Management
A variety of factors including weather conditions (e.g., wind direction, wind speed, temperature, relative humidity) and method of application ca influence pesticide drift. The applicator must evaluate all factors and make appropriate a sustments when applying

(S572) definition of Use only med Wind Speed

than

Wind Speed
Do not apply at wind
Temporary sure Inversions
If apply 19 at wind species it is that
of temporature Investion e. the
nozzle h. ght. Land make appl nar secon, the applicator must determine if 1) conditions of 2) stable atmospheric conditions exist at or below ollications into areas of temperature inversions or stable atmospholic conditions.

Do not as all when temperatures are expected to exceed 85°F, within 24 hours of

atmosphere courations.

Do not a di Pren temperatures are expected to exceed 85°F. within 24 hours of application. Make a new dilution for each use. Do not apply through any type of irrigation system. Avoid spray drift to vegetables, flowers, ornamental shrubs, trees and other desirable plants. Coarse sprays are less likely to drift. NEWLY SEEDED LAWNS may be treated after they have been mowed at least 3 times. BENT, RED FESCUE, CENTIPEDE AND CARPET GRASSES: Use one-half the recommended

rate (2 teaspoons of product per gallon of water covers 200 sq. ft.). Do not apply to Dichondra, Lippia, St. Augustine and Clover lawns.

EFFECTIVE FOR THE CONTROL OF: BURDOCK, CANADA THISTLE, CHICORY, CHICKWEED (MOUSE-EAR, COMMON & STITCHWORT), CLOVER, DANDELION, DOCK, DOG FENNEL, ENGLISH DAISY, FRENCHWEED, GROUND IVY, HAWKWEED, HEALALL HENRIT JIMSON WEED KNOTWEED FRECT AND KNOTWEED PROSTRATE AMBSOLIABTED MALLOW MORNING GLODY MUSTARD OVALIS DENNYWORT

LAMBSQUARTER, MALLOW, MORNING GLORY, MUSTARD, OXALIS, PENNYWORT, PEPPERGRASS, PIGWEED PLANTAIN, POISONIVY, POISON OAK, PURSLANE, RAGWEED, SMARTWEED, SHEEP SORRELL, SPOTTED SPURGE, WILD ASTER, WILD CARROT, WILD GARLIC, WILD ONION, WOOD SORRELL AND MANY OTHER BROADLEAF WEEDS. LAWN WEEDS: To kill dandelion, wild onion, pennywort, healall, plantain and similar weeds: Use 8 ounces in 6 gallons of water and apply with pump or hose-end sprayer or sprinkling can to 2,500 square feet of lawn. For smaller areas, use 2 teaspoons in 2 quarts of water applied to 100 square feet. For larger areas, use 1 gallon in 50 gallons of water applied to 1 acre.

To kill weeds such as thistles, bindweed, dock and ragweed, use 8 ounces in 6 gallons of To kill weeds such as tribites, browned, obcok and ragweed, use e outnets in o glaints or water (or 2 teaspoontial in 2 quarts of waters), and apply directly to plants, wetting them thoroughly. Repeat as necessary, For losing very result in 2 plants, we should be a considered to the To kill undestrable plants such as policy or poison oak, use 8 teaspoontials in 2 quarts of water or I gallon in 12-1/2 gallons of water and drench plants when they are in full leaf. Repeat in 4 weeks if necessary.

Application Restrictions: Do not apply this product in a way that will contact workers or her persons, either directly or through drift. Only protected handlers may be in the area

For broadcast treatments:

Limited to 2 applications per year. Maximum of 0.75 lb. ae per acre per application. Minimum of 30 days between applications

For spot treatments:

Limited to 2 applications per year : Maximum of 1.2 lbs. ae per application. Minimum of 30 days between applications. Broadcast application is prohibited at this rate.

Spot treatment is defined as a treatment area no greater than 1000

Postemergence (annual & perennial weeds): Application to non-cropland areas are not applicable, to treatment of commercial or other plants being grown for sale or other commercial use, or for commercial seed production, or for research purposes

Entry Restrictions: Do not enter or allow people (or pets) to enter the treated areas until sprays have dried.

Prohibited for aerial applications.

Use of this product in certain portions of California, Oregon and Washington is subject to the January 22, 2004 Order for injunctive relief in Washington Toxics Coalition, et al. v. EPA, C01-0132 C, (W.D. WA). For further information, please refer to EPA Web Site: http:// www.epa.gov/espp.

STORAGE AND DISPOSAL

Do Not Contaminate Water, Food, or Feed By Storage or Disposal. **Pesticide Storage:** Store in a dry place no lower in temperature than 50°F or higher than 120°F.

Pesticide Disposal: Pesticide wastes are acutely hazardous. Improper disposal of excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label instructions, contact your State Pesticide or Environmental Control Agency or the Hazardous Waste representative at the earest EPA Regional Office for guidance

Container Disposal: Nonrefillable container. Do not reuse or refill container. Offer for recycling, if available. Clean container promptly after emptying. Triple rinse as follows: Empty the remaining contents into application equipment or a mix tank and drain for 10 seconds after the flow begins to drip. Fill the container 1/4 full with water and recap. Shake for 10 seconds. Pour rinsate into application equipment or a mix tank or store rinsate for later use or disposal. Drain for 10 seconds after the flow begins to drip. Repeat procedure two more