### Safety Data Sheet



#### **SECTION 1: Product and company identification**

Product name	:	Vanquish Disinfectant
Use of the substance/mixture	:	Disinfectant
Product code	:	0175
Company	:	CleaningChemicalSupply.com P.O. Box 670925 Marietta, GA 30066 - USA Phone (888) 678-7489
Emergency number	:	Chemtec: (800) 424-9300

#### SECTION 2: Hazards identification

#### 2.1. Classification of the substance or mixture

#### **GHS-US** classification

Skin Corr. 1B H314

2.2. Label elements	
GHS-US labeling	
Hazard pictograms (GHS-US)	: GHS05
Signal word (GHS-US)	: Danger
Hazard statements (GHS-US)	: Causes severe skin burns and eye damage
Precautionary statements (GHS-US)	<ul> <li>Do not breathe spray Wash thoroughly after handling Wear eye protection, protective gloves If swallowed: rinse mouth. Do NOT induce vomiting If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower</li> <li>If inhaled: Remove person to fresh air and keep comfortable for breathing If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing Immediately call a doctor</li> <li>Specific treatment (see First aid measures on this label)</li> <li>Wash contaminated clothing before reuse Store locked up</li> <li>Dispose of contents/container to comply with local/regional/national/international regulations</li> </ul>

#### 2.3. Other hazards

No additional information available

#### 2.4. Unknown acute toxicity (GHS US) Not applicable

**SECTION 3: Composition/Information on ingredients** 

3.1. Substances

Not applicable

#### Full text of H-phrases: see section 16

3.2. Mixtures			
Name	Product identifier	%	GHS-US classification
Quaternary ammonium compounds, benzyl-C12-16- alkyldimethyl, chlorides	(CAS-No.) 68424-85-1	1 - 5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314
Alcohols (c12-15 Ln. Saturated) Ethoxylate	(CAS-No.) 68131-39-5	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
tetrasodium ethylenediaminetetracetate	(CAS-No.) 64-02-8	1 - 5	Acute Tox. 4 (Oral), H302 Eye Dam. 1, H318
QUATERNIUM-24	(CAS-No.) 32426-11-2	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314

## Vanquish Disinfectant Safety Data Sheet



Name	Product identifier	%	GHS-US classification
didecyldimethylammonium chloride	(CAS-No.) 7173-51-5	0.5 - 1.5	Acute Tox. 3 (Oral), H301 Skin Corr. 1B, H314
Dimethyldioctylammonium chloride	(CAS-No.) 5538-94-3	0.5 - 1.5	Acute Tox. 4 (Oral), H302 Skin Corr. 1B, H314

A specific chemical identity and/or percentage of composition has been withheld as a trade secret. Any concentration shown as a range is to protect confidentiality or is due to batch variation.

4.1. Description of first aid measures	. If you feel you all each medical address (charge the left states) (2.1.5)
First-aid measures general	: If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing.
First-aid measures after skin contact	: Rinse immediately contaminated clothing and skin with plenty of water before removing clothes. Take victim to a doctor if irritation persists.
First-aid measures after eye contact	: Rinse immediately with plenty of water for 15 minutes. Take victim to an ophthalmologist.
irst-aid measures after ingestion	: Immediately call a poison center or doctor/physician. Rinse mouth. Do NOT induce vomiting. Drink plenty of water.
.2. Most important symptoms and eff	
Symptoms/effects	: Causes severe skin burns and eye damage.
Symptoms/effects after inhalation	: Corrosive to the respiratory tract.
Symptoms/effects after skin contact	: Caustic burns/corrosion of the skin.
Symptoms/effects after eye contact	: Causes serious eye irritation. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	: Burns to the gastric/intestinal mucosa.
1.3. Indication of any immediate medi No additional information available	cal attention and special treatment needed
SECTION 5: Firefighting measure	es
5.1. Extinguishing media	
Suitable extinguishing media	: All extinguishing media allowed.
5.2. Special hazards arising from the s	
Reactivity	: Upon combustion: CO and CO2 are formed.
5.3. Advice for firefighters	
Firefighting instructions	: Exercise caution when fighting any chemical fire. Use water moderately and if possible collect or contain it. Use water spray or fog for cooling exposed containers.
Protection during firefighting	: Do not enter fire area without proper protective equipment, including respiratory protection.
SECTION 6: Accidental release m	easures
6.1. Personal precautions, protective e	quipment and emergency procedures
General measures	: Isolate from fire, if possible, without unnecessary risk.
6.1.1. For non-emergency personnel	
Protective equipment	: Gloves. Protective goggles. Face-shield.
	: Keep upwind.
Emergency procedures	. Кеср ирини.
6.1.2. For emergency responders	
Protective equipment	: Equip cleanup crew with proper protection.
Emergency procedures	: Stop leak if safe to do so. Stop release. Ventilate area.
5.2. Environmental precautions	
Avoid release to the environment. Preven	t soil and water pollution.
6.3. Methods and material for contain	
For containment	: Contain released substance, pump into suitable containers.
Methods for cleaning up	: This material and its container must be disposed of in a safe way, and as per local legislation.
5.4. Reference to other sections No additional information available	
SECTION 7: Handling and storag	e
7.1. Precautions for safe handling	
Precautions for safe handling	<ul> <li>Carry operations in the open/under local exhaust/ventilation or with respiratory protection. Do not handle until all safety precautions have been read and understood. Use personal protective equipment as required.</li> </ul>
Hygiene measures	: Do not eat, drink or smoke when using this product. Wash contaminated clothing before reuse.

Safety Data Sheet



7.2. Conditions for safe storag	e, including any incompatibilities
Storage conditions	: Keep container closed when not in use. Store in original container.
ncompatible products	: Strong acids.
Storage area	: Keep only in the original container. Store in a dry area. Store in a cool area.
SECTION 8: Exposure cont	trols/personal protection
8.1. Control parameters	
Quaternary ammonium comp	ounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)
Not applicable	
QUATERNIUM-24 (32426-11-2	)
Not applicable	
didecyldimethylammonium c	nloride (7173-51-5)
Not applicable	
Dimethyldioctylammonium cl	nloride (5538-94-3)
Not applicable	
Alcohols (c12-15 Ln. Saturate	d) Ethoxylate (68131-39-5)

tetrasodium ethylenediaminetetracetate (64-02-8) Not applicable

#### 8.2. Exposure controls

Personal protective equipment

: Gloves. Safety glasses. Protective clothing. Use appropriate personal protective equipment when risk assessment indicates this is necessary.



SECTION 9: Physical and chemical properties				
9.1. Information on basic physical and chemical properties				
Physical state	: Liquid			
Appearance	: Clear, colorless liquid.			
Odor	: Mild odor			
Odor threshold	: No data available			
рН	: 12.4			
Melting point	: No data available			
Freezing point	: No data available			
Boiling point	: No data available			
Flash point	: > 200 °F			
Relative evaporation rate (butyl acetate=1)	: No data available			
Flammability (solid, gas)	: No data available			
Explosion limits	: No data available			
Explosive properties	: No data available			
Oxidizing properties	: No data available			
Vapor pressure	: No data available			
Relative density	: No data available			
Relative vapor density at 20 °C	: No data available			
Specific gravity / density	: 1 g/ml			
Solubility	: Soluble in water.			
Log Pow	: No data available			
Log Kow	: No data available			

Auto-ignition temperature

: No data available

#### Safety Data Sheet



,	
Decomposition temperature	: No data available
Viscosity	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
VOC content	: <1%

#### **SECTION 10: Stability and reactivity**

#### 10.1. Reactivity

Upon combustion: CO and CO2 are formed.

#### 10.2. Chemical stability

No additional information available

#### 10.3. Possibility of hazardous reactions

No additional information available

#### 10.4. Conditions to avoid

No additional information available

#### 10.5. Incompatible materials

May be corrosive to metals. Strong acids. metals.

#### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

#### **SECTION 11: Toxicological information**

#### **11.1. Information on toxicological effects**

Acute toxicity

#### : Not classified

Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides (68424-85-1)			
LD50 oral rat	344 mg/kg		
LD50 dermal rabbit 3340 mg/kg			
ATE CLP (oral)	344.000 mg/kg body weight		
ATE CLP (dermal)	3340.000 mg/kg body weight		
didecyldimethylammonium chloride (7173-51	-5)		
LD50 oral rat	238 mg/kg Method: OECD Test Guideline 401		
LD50 dermal rabbit	3342 mg/kg		
ATE CLP (oral)	238.000 mg/kg body weight		
ATE CLP (dermal)	3342.000 mg/kg body weight		
Alcohols (c12-15 Ln. Saturated) Ethoxylate (	68131-39-5)		
LD50 oral rat	> 2000 mg/kg		
LD50 dermal rabbit	> 2000 mg/kg		
tetrasodium ethylenediaminetetracetate (64-0	)2-8)		
LD50 oral rat	> 2000 mg/kg (Rat)		
ATE CLP (oral)	500.000 mg/kg body weight		
Skin corrosion/irritation :	Causes severe skin burns and eye damage.		
	pH: 12.4		
Serious eye damage/irritation :	Not classified		
	pH: 12.4		
Respiratory or skin sensitization :	Not classified		
Germ cell mutagenicity :	Not classified		
Carcinogenicity :	Not classified		
Reproductive toxicity :	Not classified		
Specific target organ toxicity – single exposure :	Not classified		
Specific target organ toxicity – repeated exposure	: Not classified		
Aspiration hazard	: Not classified		
Symptoms/effects after inhalation	: Corrosive to the respiratory tract.		
Symptoms/effects after skin contact	: Caustic burns/corrosion of the skin.		

## Vanquish Disinfectant Safety Data Sheet



Symptoms/effects after eye contact	: Causes serious eye irritation. Corrosion of the eye tissue. Permanent eye damage.
Symptoms/effects after ingestion	: Burns to the gastric/intestinal mucosa.
Likely routes of exposure	: Skin and eye contact

SECTION 12: Ecological inform	ation			
12.1. Toxicity				
Alcohols (c12-15 Ln. Saturated) Ethoxylate (68131-39-5)				
LC50 fish 1 5 - 10 mg/l Fish				
EC50 Daphnia 1	5 - 10 mg/l Daphnia			
ErC50 (algae)	10 - 100 mg/l Algae			
tetrasodium ethylenediaminetetraceta	te (64-02-8)			
LC50 fish 1	121 mg/l (LC50; 96 h)			
EC50 Daphnia 1	625 mg/l (EC50; 24 h)			
Threshold limit algae 1	> 100 mg/l (EC0; 72 h)			
12.2. Persistence and degradability				
tetrasodium ethylenediaminetetraceta	te (64-02-8)			
Persistence and degradability	Not readily biodegradable in water.			
Biochemical oxygen demand (BOD)	< 0.002 g O₂/g substance			
Chemical oxygen demand (COD) 0.54 - 0.58 g O <sub>2</sub> /g substance				
12.3. Bioaccumulative potential				
tetrasodium ethylenediaminetetracetate (64-02-8)				
Log Pow	-2.6			
Bioaccumulative potential	Bioaccumulation: not applicable.			
SECTION 13: Disposal consider	rations			
-				
13.1. Waste treatment methods Product/Packaging disposal	: Dispose in a safe manner in accordance with local/national regulations.			
recommendations				
SECTION 14: Transport information				
Department of Transportation (DOT)				
Transport document description	: UN1903 Disinfectants, liquid, corrosive n.o.s. (Quaternary Ammonium Chloride), 8, II			
	: UN1903			
Proper Shipping Name (DOT)	: Disinfectants, liquid, corrosive n.o.s.			
Class (DOT)	: 8 - Class 8 - Corrosive material 49 CFR 173.136			
Hazard labels (DOT) : 8 - Corrosive				

		$\mathbf{V}$
Packing group (DOT)	:	II - Medium Danger
DOT Packaging Non Bulk (49 CFR 173.xxx)	:	202
DOT Packaging Bulk (49 CFR 173.xxx)	:	242
DOT Symbols	:	G - Identifies PSN requiring a technical name
DOT Special Provisions (49 CFR 172.102)	:	B2,IB2,T7,TP2
DOT Packaging Exceptions (49 CFR 173.xxx)	:	154
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	:	1 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	:	30 L
DOT Vessel Stowage Location	:	В

Safety Data Sheet

# TIOS TET US

Additional information	
Emergency Response Guide (ERG) Number	: 153
Other information	: No supplementary information available.
ADR	
No additional information available	
Transport by sea	
No additional information available	
Air transport	

No additional information available

#### **SECTION 15: Regulatory information**

All components of this product are listed, or excluded from listing, on the United States Environmental Protection Agency Toxic Substances Control Act (TSCA) inventory

This product or mixture is not known to contain a toxic chemical or chemicals in excess of the applicable de minimis concentration as specified in 40 CFR §372.38(a) subject to the reporting requirements of section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372.

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labelling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

DANGER. CORROSIVE. Causes irreversible eye damage and skin burns. Do not get in eyes, on skin or on clothing. Wear protective eyewear (goggles, face shield, or safety glasses), protective (rubber or chemical resistant) gloves and protective clothing. Harmful if swallowed or absorbed through the skin. Wash thoroughly with soap and water after handling and before eating, drinking, chewing gum, using tobacco or using the toilet. Remove contaminated clothing and wash clothing before reuse.

California Proposition 65 - This product does not contain substances known to the state of California to cause cancer and/or reproductive toxicity

#### **SECTION 16: Other information**


Training advice

: Normal use of this product shall imply use in accordance with the instructions on the packaging.

#### Full text of H-phrases:

H301	Toxic if swallowed
H302	Harmful if swallowed
H314	Causes severe skin burns and eye damage
H318	Causes serious eye damage

NFPA health hazard	:	3 - Materials that, under emergency conditions, can cause serious or permanent injury.
NFPA fire hazard	:	1 - Materials that must be preheated before ignition can occur.
NFPA reactivity	:	0 - Material that in themselves are normally stable, even under fire conditions.



#### Prepared by: Technical Department

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product. No warranty is expressed or implied regarding the accuracy of this data or the results obtained from the use thereof. Our company assumes no responsibility for personal injury or property damage to the vendee, users or third parties caused by the material. Such vendees or users assume all risks associated with the use of this material.